**MINFILE Number:** 082ENE044 **Name:** SAB **Status:** Prospect

| Ore Zone/ Year/Report On | | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|---|---|---|---|---|---|
| MAIN<br>2016 | N | Assay/analysis<br>Grab | Lead<br>Zinc<br>Silver | 7.73 %<br>11.35 %<br>1010 g/t | grab sample 663205<br>Assessment Report 36584 |
| SOUTH<br>2016 | N | Assay/analysis<br>Grab | Lead<br>Zinc<br>Silver | 4.87 %<br>7.56 %<br>471 g/t | grab sample 663202<br>Assessment Report 36584 |
| SOUTH<br>2005 | N | Assay/analysis<br>Grab | Copper<br>Lead<br>Zinc<br>Silver<br>Gold | 0.136 %<br>1 %<br>1 %<br>100 g/t<br>11.53 g/t | nine samples (36203 to 36211) from the South zone assayed from 0.002 to 0.136 per cent copper, 0.004 to greater than 1.0 per cent lead, 0.176 to greater than 1.0 per cent zinc, 4.5 to greater than 100 grams per tonne silver and 0.04 to 11.53 grams per tonne gold<br>Assessment Report 28121 |
| SOUTH<br>1999 | N | Assay/analysis<br>Grab | Gold<br>Silver<br>Lead<br>Zinc | 53.25 g/t<br>526.2 g/t<br>4.65 %<br>9.98 % | four grab samples (CV99-03, 12026, 12031 and 7703) yielded values up to 53.25 grams per tonne gold, 526.2 grams per tone silver, 4.65 per cent lead and 9.98 per cent zinc<br>Assessment Report 26382 |
| MAIN<br>1999 | N | Assay/analysis<br>Grab | Silver<br>Lead<br>Zinc | 1090 g/t<br>34.45 %<br>9.95 % | grab sample CV99-23<br>Assessment Report 26382 |
| MAIN<br>1996 | N | Assay/analysis<br>Chip | Silver | 711.7 g/t | sampling of the K-1 trench yielded up to 711.7 grams per tonne silver over 2.50 metres<br>Assessment Report 24533 |
| MAIN<br>1984 | N | Assay/analysis<br>Chip | Silver | 1939 g/t | surface samples from the K-1 trench, located 39 metres west of the Lead zone open-cut assayed up to 755.8 grams per tonne over 1.2 metres to 1939 grams per tonne silver over 1.35 metres<br>Assessment Report 18533 |
| MAIN<br>1984 | N | Assay/analysis<br>Drill Core | Gold<br>Silver | 0.6 g/t<br>101.7 g/t | diamond drilling (Hole 84-1) of the east end of the Lead zone yielded up to 0.6 grams per tonne gold and 101.7 grams per tonne silver over 3.12 metres, including 3.3 grams per tonne gold and 506.2 grams per tonne silver over 0.30 metre<br>Assessment Report 18533 |

| Ore Zone/ Year/Report On | | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|---|---|---|---|---|---|
| MAIN<br>1983 | N | Assay/analysis<br>Drill Core | Gold<br>Silver<br>Lead<br>Zinc | 0.5 g/t<br>205.2 g/t<br>4.24 %<br>7.91 % | diamond drilling yielded up to 0.5 grams per tonne gold, 205.2 grams per tonne silver, 4.24 per cent lead and 7.91 per cent zinc over 0.3 metre in hole 83-6, while hole 83-11 yielded up to 6.2 grams per tonne gold, 2.7 grams per tonne silver over 0.6 metre<br>Assessment Report 18533 |
| MAIN<br>1981 | N | Assay/analysis<br>Drill Core | Silver<br>Lead<br>Zinc | 329.3 g/t<br>5.20 %<br>3.35 % | diamond drilling of the Lead zone yielded: 329.3 grams per tonne silver, 5.20 per cent lead and 3.35 per cent zinc over 1.04 metre in hole 81-13; 210.2 grams per tonne silver, 0.32 per cent lead and 8.01 per cent zinc over 1.12 metre in hole 81-17 and 290.3 grams per tonne silver, 1.54 per cent lead and 9.87 per cent zinc over 0.46 metre in hole 81-19<br>Assessment Report 18533 |
| MAIN<br>1980 | N | Assay/analysis<br>Grab | Silver<br>Copper<br>Lead<br>Zinc | 1313 g/t<br>0.19 %<br>0.79 %<br>26.3 % | a sample (80-1) from the Lead zone<br>Assessment Report 9576 |
| SOUTH<br>1978 | N | Assay/analysis<br>Channel | Gold<br>Silver<br>Lead | 6.5 g/t<br>15 g/t<br>0.31 % | a channel sample (78-B5) across 0.76 metre of upper vein assayed 1.4 grams per tonne gold, 48 grams per tonne silver, 1.46 per cent lead and 0.47 per cent zinc, while another channel sample (78-B6) across two veins, totalling 0.65 metres wide, assayed 6.5 grams per tonne gold, 15 grams per tonne silver and 0.31 per cent lead<br>Assessment Report 7259 |
| SOUTH<br>1973 | N | Assay/analysis<br>Chip | Gold<br>Silver | 10.8 g/t<br>156.6 g/t | a 1.2-metre chip sample of a quartz vein (Lead Zone) from the BS 12 claim assayed 10.8 grams per tonne gold and 156.6 grams per tonne silver, while select grab samples yielded up to 9.7 grams per tonne gold, 930.2 grams per tonne silver, 9.20 per cent lead and 0.50 per cent zinc<br>Assessment Report 4979 |