MINFILE Number: 092HNE090 **Name:** NOR 30 **Status:** Showing

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN			Copper	4.16 %	Three samples (M458637, M458639 and M458641) yielded from 2.70 to 4.16 per cent copper and 49.0 to 111.0 grams per tonne silver. Assessment Report 36184
			Silver	111.0 g/t	
2013	N	Assay/analysis Rock			
PIT			Copper	5.34 %	A selective grab sample from a small shaft or test pit located a short distance northwest. Assessment Report 24522
			Silver	151.0 g/t	
1996	N	Assay/analysis Grab			
SHEAR			Copper	4.28 %	A grab sample (28524) from a 0.1 metre wide shear zone hosting chalcocite and malachite in an epidote and carbonate altered porphyritic andesite to basalt. Assessment Report 24522
			Silver	60.9 g/t	
			Gold	0.31 g/t	
1996	N	Assay/analysis Grab			
SHEAR			Copper	0.78 %	A 1 metre chip sample (28525) from the shear zone. Assessment Report 24522
			Silver	12.2 g/t	
1996	N	Assay/analysis Chip			
DUMP			Copper	6.51 %	A selective composite sample (28527) from a nearby ore or dump pile adjacent to a small trench or open cut. Assessment Report 24522
			Silver	75.3 g/t	
1996	N	Assay/analysis Grab			
SOUTHWEST			Copper	4.85 %	Grab sample (28530) from another mineralized, narrow (0.1 metre wide) shear zone, located several hundred metres west-southwest. Assessment Report 24522
			Silver	297.1 g/t	
1996	N	Assay/analysis Grab			
SOUTHWEST			Copper	1.67 %	A chip sample (28531) over 1 metre of the southwestern shear zone. Assessment Report 24522
			Silver	71.4 g/t	
1996	N	Assay/analysis Chip			
SOUTHEAST			Copper	1.272 %	A sample (6732) taken several hundred metres to the southeast. Assessment Report 17118
1987	N	Assay/analysis Rock			
MAIN			Copper	1.142 %	A rock sample (1930) from the main occurrence area. Assessment Report 17118
1987	N	Assay/analysis Rock			
SOUTHWEST			Copper	2.36 %	A sample (2579), taken several hundred metres west-southwest. Assessment Report 14141
			Silver	177.4 g/t	
1985	N	Assay/analysis Rock			

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN 1985 N	Assay/analysis Rock	Silver Copper	37.8000 g/t 4.6753 %	Seven of eight rock samples (2271 to 2273 and 2275 through 2578) collected in the immediate vicinity of the chalcocite vein and shear zone analyzed 0.867 to 4.68 per cent copper with silver values of up to 37.8 grams per tonne. Assessment Report 14141, Drawing 5b