MINFILE Number: 092HNE120 **Name:** AT **Status:** Showing

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
TRENCHES 2015 N	Assay/analysis Chip	Zinc Copper Lead Gold	0.586 % 0.401 % 0.026 % 0.075 g/t	Thirteen grab and chip samples from the historic trenches yielded an average of 0.586 per cent zinc, 0.401 per cent copper, 0.026 per cent lead and 0.075 gram per tonne gold, with values of up to 1.411 per cent zinc, 1.154 per cent copper, 0.199 per cent lead and 0.140 gram per tonne gold. Assessment Report 35585
TRENCH 2010 N	Assay/analysis Grab	Copper Zinc Lead Silver Gold Tungsten Molybdenum	1 % 1 % 0.354 % 8.2 g/t 0.450 g/t 0.050 % 0.028 %	Grab samples (AT-MAY-009, -007 and -011) from a historic trench (no. 2). Assessment Report 32072
TRENCH 2010 N	Assay/analysis Grab	Copper Zinc Tungsten	0.53 % 0.92 % 0.012 %	A sample (AT-MAY-010) from trench no. 6. Assessment Report 32072
SOUTHEAST 2006 N	Assay/analysis Grab	Gold	0.275 g/t	Two samples of epithermal quartz felsenmeer, located approximately 2.8 kilometres southeast of the occurrence, yielded 0.135 and 0.275 gram per tonne gold. Assessment Report 28827
TRENCH 1977 N	Assay/analysis Chip	Silver Copper Lead Zinc	5.5000 g/t 0.1400 % 0.0900 % 1.3500 %	Sample (69002) taken across a 1-metre zone of silicified and fractured andesite with pyrite, chalcopyrite, sphalerite and galena exposed in trench 2. Assessment Report 6697, page 10
TRENCH 1977 N	Assay/analysis Chip	Silver Copper Lead Zinc	6.5 g/t 1.11 % 0.06 % 2.14 %	A sample (876K) across 0.3 metre of a shear zone exposed in trench 2. Assessment Report 6697
TRENCH 1977 N	Assay/analysis Chip	Copper Zinc	0.56 % 0.80 %	A sample (69001) over 1 metre from an altered zone exposed in trench 6. Assessment Report 6697