

| | | | | | |
|------------------------|----------|--------------|-----------|----------------|----------|
| MINFILE Number: | 094E 310 | Name: | PIL SOUTH | Status: | Prospect |
|------------------------|----------|--------------|-----------|----------------|----------|

| Ore Zone/ Year/Report On | | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|-----------------------------|---|------------------------------|------------------------------|-------------------------------|---|
| SAMPLE | | | Silver | 45.9 g/t | |
| 2015 | N | Assay/analysis Rock | | | Assessment Report 35995 |
| TRENCH | | | Copper | 0.38 % | |
| 2003 | N | Assay/analysis Chip | | | Continuous chip sample collected over a 5-metre interval. www.finlayminerals.com/s/Home.asp. |
| DRILLHOLE | | | Silver | 200 g/t | |
| 2003 | N | Assay/analysis Drill Core | | | Drillhole Pil S03-04 was drilled at an azimuth of 215 degrees and a dip of -60 degrees to 77.75 metres depth. This hole targeted the same geophysical-geochemical anomaly as DDH Pil S03-01. Pil S03-04 intersected an initial 23.5 metres of Takla Group augite porphyry basalt with the remainder being ash tuff. The latter was moderately to strongly silica magnetite flooded. A 1.5-metre fault zone within an intensely bleached and clay-altered interval (70.4 to 77.75 metres) contains greater than 200 parts per million silver. Assessment Report 27310 |
| L | | | Silver | 8.6 g/t | |
| 2002 | N | Assay/analysis Rock | Copper Zinc Molybdenum | 0.664 % 0.343 % 0.011 % | A rock sample (RM02PS27) from a 30-centimetre wide quartz vein hosting pyrite, chalcocite and chalcopyrite, taken along trend from the Lorne zone. Assessment Report 27055 |
| L | | | Copper | 1.73 % | |
| 2001 | N | Assay/analysis Chip | Silver Zinc | 46.1 g/t 0.101 % | A grab sample (PS-L18S-4+00E) of fractured basalt with quartz veining, hematite, pyrite, and chalcopyrite assayed greater than 1.00 per cent copper, 53.4 grams per tonne silver, 0.047 per cent molybdenum and 0.117 per cent zinc, while a chip sample (PRPS-04) taken across a 21-centimetre wide zone of chloritized andesite with stringers of quartz and chalcopyrite assayed 1.73 per cent copper, 46.1 grams per tonne silver and 0.101 per cent zinc. Both samples came from the Lorne zone. Assessment Report 26740 |
| L | | | Copper | 0.210 % | |
| 2000 | N | Assay/analysis Chip | Zinc Silver | 0.214 % 6.3 g/t | Chip sampling of the Lorne zone over 20 metres and values of up to 0.378 per cent copper, 0.383 per cent zinc and 13.2 grams per tonne silver over 5 metres. Assessment Report 26383 |
| L | | | Copper | 0.928 % | |
| 1999 | N | Assay/analysis Chip | Silver Gold | 39.4 g/t 0.057 g/t | A 1-metre continuous chip sample (P99-054A) of quartz-chlorite altered rock hosting chalcopyrite, referred to as the Lorne zone and located approximately 600 metres to the south- south west at an elevation of approximately 1720 metres. Assessment Report 26104 |

| Ore Zone/ Year/Report On | | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|-----------------------------|---|------------------------------|------------|-----------|--|
| 1997 | N | Assay/analysis Rock | Silver | 2.2 g/t | Rock sample (JBP84) of chloritized gabbro with disseminated magnetite and pyrite taken near the south side of Jock Creek, approximately 1.1 kilometres to the northwest. Assessment Report 25282 |
| | | | Copper | 0.230 % | |
| 1997 | N | Assay/analysis Rock | Gold | 0.178 g/t | A rock sample (JBP101) of epidotized and chloritized pyroxene andesite hosting pyrite. Assessment Report 25282 |
| | | | Silver | 15.1 g/t | |
| 1996 | N | Assay/analysis Rock | Lead | 0.174 % | An outcrop rock sample (LPJ-2) of silicified andesite with disseminated pyrite. Assessment Report 25054 |
| | | | Molybdenum | 0.038 % | |
| 1995 | N | Assay/analysis Rock | Copper | 0.179 % | Rock sample (P12-7R) of argillized andesite, while a float sample (P12-6F) of silicified andesite with disseminated pyrite assayed 0.240 gram per tonne gold, 38.6 grams per tonne silver, 0.018 per cent molybdenum and 0.413 per cent copper. Assessment Report 24356 |
| | | | Gold | 0.127 g/t | |
| 1969 | N | Assay/analysis Drill Core | Silver | 23.3 g/t | Drill hole (P-1) was reported to have yielded 0.177 per cent copper over 4.6 metres of andesite hosting disseminated pyrite. Assessment Report 25811; Property File - Diamond Drill Record and Assay Log - Hole No. P-1 - Pillar |
| | | | Lead | 0.206 % | |