

MINFILE Number:	092HNE090	Name:	NOR 30	Status:	Showing
------------------------	-----------	--------------	--------	----------------	---------

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN			Copper	4.16 %	Three samples (M458637, M458639 and M458641) yielded from 2.70 to 4.16 per cent copper and 49.0 to 111.0 grams per tonne silver. Assessment Report 36184
2013	N	Assay/analysis Rock	Silver	111.0 g/t	
PIT			Copper	5.34 %	A selective grab sample from a small shaft or test pit located a short distance northwest. Assessment Report 24522
1996	N	Assay/analysis Grab	Silver	151.0 g/t	
SHEAR			Copper	4.28 %	A grab sample (28524) from a 0.1 metre wide shear zone hosting chalcocite and malachite in an epidote and carbonate altered porphyritic andesite to basalt. Assessment Report 24522
1996	N	Assay/analysis Grab	Silver	60.9 g/t	
			Gold	0.31 g/t	
SHEAR			Copper	0.78 %	A 1 metre chip sample (28525) from the shear zone. Assessment Report 24522
1996	N	Assay/analysis Chip	Silver	12.2 g/t	
DUMP			Copper	6.51 %	A selective composite sample (28527) from a nearby ore or dump pile adjacent to a small trench or open cut. Assessment Report 24522
1996	N	Assay/analysis Grab	Silver	75.3 g/t	
SOUTHWEST			Copper	4.85 %	Grab sample (28530) from another mineralized, narrow (0.1 metre wide) shear zone, located several hundred metres west-southwest. Assessment Report 24522
1996	N	Assay/analysis Grab	Silver	297.1 g/t	
SOUTHWEST			Copper	1.67 %	A chip sample (28531) over 1 metre of the southwestern shear zone. Assessment Report 24522
1996	N	Assay/analysis Chip	Silver	71.4 g/t	
SOUTHEAST			Copper	1.272 %	A sample (6732) taken several hundred metres to the southeast. Assessment Report 17118
1987	N	Assay/analysis Rock			
MAIN			Copper	1.142 %	A rock sample (1930) from the main occurrence area. Assessment Report 17118
1987	N	Assay/analysis Rock			
SOUTHWEST			Copper	2.36 %	A sample (2579), taken several hundred metres west-southwest. Assessment Report 14141
1985	N	Assay/analysis Rock	Silver	177.4 g/t	

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN		Assay/analysis	Silver	37.8000 g/t	Seven of eight rock samples (2271 to 2273 and 2275 through 2578) collected in the immediate vicinity of the chalcocite vein and shear zone analyzed 0.867 to 4.68 per cent copper with silver values of up to 37.8 grams per tonne. Assessment Report 14141, Drawing 5b
			Copper	4.6753 %	
1985	N	Rock			