

MINFILE Number:	082M 020	Name:	TWIN MOUNTAIN	Status:	Prospect
------------------------	----------	--------------	---------------	----------------	----------

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
ADIT		Assay/analysis Rock	Zinc	0.44 %	a sample (BRACR002) from the face of the east adit Assessment Report 29744
			Lead	0.06 %	
2007	N				
NORTHWEST		Assay/analysis Chip	Gold	0.145 g/t	a 1.5 metre chip sample (104718) from an outcrop of phyllites with quartz-carbonate veinlets and disseminated pyrite, located on the north west extension of the Twin Mountain zone Assessment Report 26595
2000	N				
NORTHWEST		Assay/analysis Chip	Lead	0.09 %	grab samples (TR-89-20-09 and TR-89-19-10) from trenches TR-20 and TR-19 which were designed to test the north west strike extension of the Twin Mountain zone and located approximately 600 metres north west of the West adit yielded 0.10 and 0.10 per cent lead, 0.61 and 0.35 per cent zinc with 2.4 and 3.4 grams per tonne silver, while a 1 metre chip sample (TR-89-20-06) from trench TR-20 assayed 0.09 per cent lead, 0.20 per cent zinc, 1.8 grams per tonne silver and 0.14 gram per tonne gold Assessment Report 19734
			Zinc	0.20 %	
			Silver	1.8 g/t	
			Gold	0.14 g/t	
1989	N				
ADIT		Assay/analysis Grab	Gold	0.129 g/t	average of two underground samples from the West adit Assessment Report 19734
			Silver	29.2 g/t	
			Copper	0.20 %	
			Lead	2.03 %	
			Zinc	2.43 %	
1988	N				
OUTCROP		Assay/analysis Grab	Copper	0.10 %	samples from the Twin Mountain zone exposed above the West and East adits yielded 0.01 and 0.10 per cent copper, 10.74 and 16.78 per cent lead, 1.73 and 8.10 per cent zinc, 46.0 and 50.4 grams per tonne silver with 0.38 and 0.16 gram per tonne gold, respectively Assessment Report 19734
			Lead	16.78 %	
			Zinc	8.10 %	
			Silver	50.4 g/t	
			Gold	0.16 g/t	
1988	N				
MAIN		Assay/analysis Drill Core	Copper	0.24 %	drill hole (T88026) was reported to have been completed to test the sub-surface extent of the Twin Mountain zone and yielded 0.24 per cent copper, 1.25 per cent lead, 1.44 per cent zinc and 4.7 grams per tonne silver over an unknown length Assessment Report 37434
			Lead	1.25 %	
			Zinc	1.44 %	
			Silver	4.7 g/t	
1988	N				
MAIN		Assay/analysis Drill Core	Gold	10.6 g/t	a drill hole on the Twin Mountain zone over 2.37 metres George Cross Newsletter #237, 1987
			Silver	335.3 g/t	
			Zinc	3.13 %	
			Lead	2.74 %	
			Copper	0.55 %	
1987	N				

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
1986	N	Assay/analysis Grab	Gold	0.26 g/t	a sample (8614-6) of silicified and pyritized mafic volcanic flow assayed 0.26 gram per tonne gold, while a sample (8614-40) from trench 4 yielded 2.8 grams per tonne silver, 0.457 per cent lead and 0.725 per cent zinc Assessment Report 15568
			Silver	2.8 g/t	
			Lead	0.457 %	
			Zinc	0.725 %	
1981	N	Assay/analysis Rock	Silver	8.9000 g/t	a subjective average value of eleven representative samples, taken from different locations along the mineralized zone, while the average of 'higher-grade shoots' was reported at 0.19 per cent copper, 3.4 per cent lead, 3.9 per cent zinc, 16.4 grams per tonne silver and 0.34 gram per tonne gold Assessment Report 9882.
			Gold	0.1700 g/t	
			Copper	0.1800 %	
			Lead	0.9000 %	
1969	N	Assay/analysis Grab	Zinc	2.1500 %	four select samples (35489, 35491, 35493 and 44938) from surface and underground workings are reported to have yielded from 0.04 to 0.23 per cent copper, 4.64 to 10.05 per cent lead, 1.54 to 7.10 per cent zinc, 18.5 to 54.9 grams per tonne silver and 0.34 to 1.02 grams per tonne gold Assessment Report 2093
			Copper	0.23 %	
			Lead	10.05 %	
			Zinc	7.10 %	
1936	N	Assay/analysis Rock	Silver	54.9 g/t	six samples from trenches are reported to have yielded value of up to 17.14 grams per tonne gold, 171.4 grams per tonne silver, 36.5 per cent lead and 3.7 per cent zinc Annual Report 1936
			Gold	1.02 g/t	
			Lead	36.5 %	
			Zinc	3.7 %	