

<b>MINFILE Number:</b>	092HNE309	<b>Name:</b>	TOWER	<b>Status:</b>	Prospect
------------------------	-----------	--------------	-------	----------------	----------

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
2019	N	Assay/analysis	Gold	1.55 g/t	<p>Drilling highlights on the South zone included 6.17 grams per tonne gold and 22.5 grams per tonne silver over a true thickness of 85.1 metres (89.0 to 180.0 metres down-hole) in hole SN19-01, 1.55 grams per tonne gold and 5.6 grams per tonne silver over a true width of 235.9 metres (70.0 to 332.0 metres down-hole) in hole SN19-10 and 9.09 grams per tonne gold with 10.0 grams per tonne silver over a true width of 62.5 metres (89.0 to 155.5 metres down-hole) in hole SN19-11.</p> <p>Assessment Report 39065</p>
		Drill Core	Silver	5.6 g/t	
2018	N	Assay/analysis	Gold	23.02 g/t	<p>Drilling on the newly identified South zone yielded intercepts of 0.745 gram per tonne gold and 2.1 grams per tonne silver over 175.0 metres (125.35 to 302.00 metres down-hole), including 175.00 and 14.47 grams per tonne gold with 249.6 and 10.9 grams per tonne silver over 1.65 and 4.00 metres (125.35 to 127.00 and 284.00 to 288.00 metres down-hole), respectively, in hole SN18-12; 23.02 grams per tonne gold and 102.7 grams per tonne silver over 19.00 metres (209.0 to 228.0 metres down-hole), including 50.76 grams per tonne gold and 203.5 grams per tonne silver over 6.78 metres (218.00 to 224.78 metres down-hole) in hole SN18-14; 8.95 grams per tonne gold and 65.5 grams per tonne silver over 46.20 metres (189.8 to 236.0 metres down-hole) in hole SN18-15; 12.11 grams per tonne gold with 94.31 grams per tonne silver over 12.90 metres in hole SN18-21 and 0.662 gram per tonne gold over 56.0 metres (242.0 to 298.0 metres down-hole) in hole SN18-22.</p> <p>Assessment Report 38217</p>
		Drill Core	Silver	102.7 g/t	
2017	N	Assay/analysis	Gold	0.520 g/t	<p>Drilling on the Alpine zone yielded 0.520 gram per tonne gold over 85.0 metres (141.0 to 226.0 metres down-hole) in hole SN17-06 and 0.294 gram per tonne gold over 101.0 metres (146.0 to 247.0 metres down-hole) in hole SN17-07.</p> <p>Assessment Report 37530</p>
		Drill Core			
2017	N	Assay/analysis	Gold	0.231 g/t	<p>Drilling on the Tower zone yielded 0.170 and 0.184 gram per tonne over 33.0 and 29.0 metres (3.0 to 36.0 and 267.0 to 296.0 metres down-hole), respectively, in hole SN17-01 and 0.231 gram per tonne gold over 60.0 metres (9.0 to 69.0 metres down-hole) in hole SN17-02.</p> <p>Assessment Report 37530</p>
		Drill Core			

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN			Gold	0.24 g/t	Two holes were completed on the Tower zone and yielded up to 0.24 gram per tonne gold over 47.0 metres in hole SN16-01. Assessment Report 36726
2016	N	Assay/analysis Drill Core			
ALPINE			Gold	0.23 g/t	Eight holes were completed on the Alpine zone and yielding up to 0.27 gram per tonne gold over 119.4 metres, including 16.70 grams per tonne gold and 29.9 grams per tonne silver over 0.5 metre in hole SN16-02 and 0.23 gram per tonne gold over 161.1 metres, including 3.58 grams per tonne gold and 24.5 grams per tonne silver over 2.0 metres in hole SN16-07. Assessment Report 36726
2016	N	Assay/analysis Drill Core			
MAC			Gold	0.12 g/t	Drill hole SN16-05, collard on the Mik zone, yielded 0.12 gram per tonne gold over 39.0 metres, including 0.41 gram per tonne gold over 6.0 metres. Assessment Report 36726
2016	N	Assay/analysis Drill Core			
MAIN			Gold Silver	0.110 g/t 6.5 g/t	Drilling on the Tower zone yielded up to 0.110 gram per tonne gold and 6.5 grams per tonne silver over 54.7 metres in hole SN15-05. Assessment Report 35833
2015	N	Assay/analysis Drill Core			
ALPINE			Gold	0.226 g/t	Drilling on the newly identified Alpine zone yielded 0.226 gram per tonne gold over 43.6 metres (24.5 to 68.1 metres down-hole) of siliceous crystal lithic tuff, similar to the upper levels intersected in the Tower zone. Assessment Report 35833
2015	N	Assay/analysis Drill Core			
MAIN			Gold Silver	0.210 g/t 4.1 g/t	Drilling on the Tower zone yielded up to 0.210 gram per tonne gold and 4.1 grams per tonne silver over 50 metres (74.0 to 124.0 metres down-hole) in hole SN-14-09. Assessment Report 35258
2014	N	Assay/analysis Drill Core			
MAC			Gold	0.262 g/t	Drill hole (SN-14-12) on the Mik zone yielded 0.262 gram per tonne gold over 6.0 metres (18.0 to 24.0 metres down-hole). Assessment Report 35258
2014	N	Assay/analysis Drill Core			
MAIN			Gold Silver	0.226 g/t 2.2 g/t	Over 54.0 metres (54.0 to 108.0 metres down-hole) in hole SN-13-06 on the Tower zone. Assessment Report 34434
2013	N	Assay/analysis Drill Core			
MAIN			Gold Silver	0.54 g/t 4.77 g/t	Over 50.42 metres in drillhole SN12-04 at the Tower showing. PR REL Westhaven Ventures Inc., Jan. 9, 2013
2012	N	Assay/analysis Drill Core			
MAIN			Gold	0.21 g/t	Over 55.8 metres in drillhole 11-SH-007 at the Tower showing. EMPR ASS RPT 32921
2011	N	Assay/analysis Drill Core			

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAC			Gold	1.19 g/t	Over 4.1 metres in drillhole 11-SH-003 at the Mik showing.
2011	N	Assay/analysis Drill Core			EMPR ASS RPT 32921
MAIN			Gold	0.505 g/t	Sample taken from the Tower showing.
2010	N	Assay/analysis Rock			EMPR ASS RPT 32109
MAC			Gold	0.4169 g/t	Sample taken from the Mik showing.
2010	N	Assay/analysis Rock			EMPR ASS RPT 32109
MAC			Gold	2.72 g/t	Section of 2.9 metres in a trench at the Mik showing.
2009	N	Assay/analysis Trench			EMPR ASS RPT 31356
MAC			Gold	119.37 g/t	Sample taken from the Mik showing.
2008	N	Assay/analysis Drill Core			EMPR ASS RPT 30621