

MINFILE Number:	093A 048	Name:	LO	Status:	Prospect
------------------------	----------	--------------	----	----------------	----------

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
PORPHYRY			Copper	0.1 %	drilling on the Viewlands zone, approximately 6.5 kilometres to the south west, yielded two intervals assaying greater than 0.1 per cent copper over 2 metres Assessment Report 33607
2012	N	Assay/analysis Drill Core			
DRILLHOLE			Gold	2.49 g/t	over 2.64 metres in hole HE8-01
		Assay/analysis	Copper	0.11 %	Assessment Report 31011
2008	N	Drill Core			
DRILLHOLE			Gold	0.39 g/t	over 33.75 metres, including 15.66 grams per tonne gold over 0.45 metre in hole HE8-02
		Assay/analysis			Assessment Report 31011
2008	N	Drill Core			
DRILLHOLE			Gold	9.47 g/t	over 0.45 metre in hole HE8-03
		Assay/analysis	Copper	0.38 %	Assessment Report 31011
2008	N	Drill Core			
DRILLHOLE			Gold	12.6 g/t	1.26 grams per tonne gold over 8.53 metres, including 12.6 grams per tonne gold with 0.18 per cent copper over 0.45 metre in hole HE8-04. Anomalous cobalt values, up to 0.246 per cent over 0.45 metres, were also encountered associated with stratabound sulphides.
		Assay/analysis	Copper	0.18 %	Assessment Report 31011
2008	N	Drill Core	Cobalt	0.246 %	
SOUTHWEST			Gold	2.73 g/t	A lone drill hole (HE8-06) on the south western zone assayed 2.73 grams per tonne gold over 1.75 metres
		Assay/analysis			Assessment Report 31011
2008	N	Drill Core			
TRENCH			Gold	13.22 g/t	sampling of trenches over 5 metres
		Assay/analysis			Assessment Report 31011
2006	N	Chip			
SOUTHWEST			Gold	3.82 g/t	Other trench samples from the south western zone over 4 metres (TR06-12) and 1.68 grams per tonne gold over 6 metres
		Assay/analysis			Assessment Report 34239
2006	N	Chip			
WEST			Gold	0.55 g/t	a rock sample (VH-1) from a malachite stained shear with quartz-calcite, located a few hundred metres west of the main trench
		Assay/analysis	Silver	9.7 g/t	Assessment Report 27514
2004	N	Rock	Copper	1 %	

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
DRILLHOLE			Gold	9.51 g/t	over 1.2 metres in hole 95-1
1995	N	Assay/analysis Drill Core			Assessment Report 24052
DRILLHOLE			Gold	5.64 g/t	over 0.6 metre in holes 95-2
1995	N	Assay/analysis Drill Core			Assessment Report 24052
DRILLHOLE			Gold	1.85 g/t	over 14.2 metres, including 7.11 grams per tonne gold
1995	N	Assay/analysis Drill Core			over 1.9 metres in hole 95-3 Assessment Report 24052
DRILLHOLE			Gold	21.24 g/t	over 0.5 metre in hole 95-5
1995	N	Assay/analysis Drill Core			Assessment Report 24052
DRILLHOLE			Copper	0.092 %	Porphyry copper mineralization was intersected in drill hole 95-4, with values up to 0.213 per cent copper over 0.6 metre with an average of 0.092 per cent copper and 0.1 gram per tonne gold over 10.6 metres
1995	N	Assay/analysis Drill Core	Gold	0.1 g/t	
					Assessment Report 24052
SOUTHWEST			Gold	19.70 g/t	sampling (HJR-49) of trenches, located approximately 450 metres south west of main trench
			Silver	20.0 g/t	
1993	N	Assay/analysis Grab	Copper	0.343 %	
TRENCH			Gold	4.98 g/t	grab sample (HJR-1) from the main trench
			Silver	9.3 g/t	
1992	N	Assay/analysis Grab	Copper	0.515 %	
TRENCH			Gold	65.0 g/t	sampling of the main trench
			Silver	10.3 g/t	
1991	N	Assay/analysis Rock	Copper	0.1 %	
SAMPLE			Gold	5.00 g/t	Assessment Report 18941
1989	N	Assay/analysis Rock			
SAMPLE			Gold	64.64 g/t	a select sample (HG-54), while six other samples yielded from 1.21 to 37.00 grams per tonne gold with anomalous molybdenum values up to 0.044 per cent
			Silver	8.0 g/t	
1986	N	Assay/analysis Grab	Cobalt	0.170 %	
			Copper	0.127 %	
			Molybdenum	0.044 %	
SAMPLE			Gold	19.63 g/t	specimen samples
1980	N	Assay/analysis Grab			
					Assessment Report 9122

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
TRENCH			Gold	0.29 g/t	chip sampling of the former 1965 trench No. 1 over 74 metres, including 0.74 gram per tonne gold and 0.170 per cent copper over 8 metres (sample 1992), 0.78 gram per tonne gold over 10 metres (sample 1985) and 0.21 gram per tonne gold with 0.250 per cent copper over 2 metres (sample 1988) Assessment Report 9122
1980	N	Assay/analysis Chip			
TRENCH			Gold Silver	11.56 g/t 206.2 g/t	three select samples from the 1965 No. 1 trench Assessment Report 15231
1979	N	Assay/analysis Grab			
TRENCH			Gold	73.00 g/t	select samples of a narrow siliceous section from a trench Assessment Report 15231
1969	N	Assay/analysis Grab			
DRILLHOLE			Copper Gold	0.10 % 0.32 g/t	a sample of percussion drill cuttings Property File - Mastodon Highland Bell Mines (1967-02-15): Report - Cariboo project 1966
1967	N	Assay/analysis Drill Core			
SAMPLE			Copper	0.84 %	a sample of mineralized tuff Property File - Mastodon Highland Bell Mines (1967-02-15): Report - Cariboo project 1966
1967	N	Assay/analysis Rock			
SAMPLE			Copper Gold	1.41 % 2.05 g/t	a sample of sulphide-rich chert Property File - J.R. Woodcock (1966-06-15): Monthly Report - May 1, to June 15, 1966
1966	N	Assay/analysis Rock			