

<b>MINFILE Number:</b> 082FSW031	<b>Name:</b> SHENANGO	<b>Status:</b> Showing
----------------------------------	-----------------------	------------------------

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
GOSSAN		Silver	2906 g/t	trench samples from a newly exposed (type 2 mineralization) zone, located east of the adit, 5.0 metres (Sample Bow-1) Assessment Report 25655
1998	Assay/analysis Chip	Zinc	8.391 %	
		Lead	0.518 %	
		Cadmium	0.129 %	
TRENCH		Zinc	0.842 %	Sampling (1701) of the former trench No. 3, located west of the adit, over 4.4 metres from the west wall of the trench Assessment Report 25655
1998	Assay/analysis Chip	Lead	0.292 %	
DUMP		Silver	48.0 g/t	a high-grade dump sample (R97-3-1) Assessment Report 25655
1997	Assay/analysis Grab	Zinc	18.85 %	
		Cadmium	0.260 %	
GOSSAN		Silver	19.8 g/t	a 0.60 metre chip sample (R97-3-7) from a gossanous zinc-rich and iron-poor zone (type 2 mineralization), located east of the adit Assessment Report 25655
1997	Assay/analysis Chip	Zinc	3.472 %	
		Lead	0.173 %	
		Cadmium	0.099 %	
DUMP		Silver	307.8 g/t	a high-grade sample of dump material from an adit Assessment Report 25655
1959	Assay/analysis Grab	Lead	10.0 %	
		Zinc	6.2 %	
DRILLHOLE		Lead	1.4 %	hole DD-151 over 0.6 metres Property File - Cochenour Willans Gold Mines (unknown): Rainbow Canyon Drill Hole Sections
1956	Assay/analysis Drill Core	Zinc	0.3 %	
SAMPLE		Silver	44.56 g/t	A sample across 76 centimetres Bulletin 41, page 149
1956	Assay/analysis Chip	Lead	1.06 %	
		Zinc	2.5 %	