

| | | | | | |
|------------------------|-----------|--------------|------------|----------------|---------------|
| MINFILE Number: | 082GNW002 | Name: | BULL RIVER | Status: | Past Producer |
|------------------------|-----------|--------------|------------|----------------|---------------|

| Ore Zone/ Year/Report On | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|-----------------------------|---------------------------|--------------------------|--|--|
| BULL RIVER 2021 Y | 2,261 kt Indicated | Copper Gold Silver | 1.796 % 0.422 g/t 15.3 g/t | The overall copper equivalent value was calculated at 2.132 per cent for this inferred resource. The cut-off grade for this calculation is based on a 0.9 per cent copper equivalent. Press Release, Braveheart Resources Inc., December 8, 2021. |
| BULL RIVER 2021 Y | 1,356 kt Inferred | Copper Gold Silver | 1.598 % 0.417 g/t 13.6 g/t | The overall copper equivalent value was calculated at 1.918 per cent for this inferred resource. The cut-off grade for this calculation is based on a 0.9 per cent copper equivalent. Press Release, Braveheart Resources Inc., December 8, 2021. |
| BULL RIVER 2018 Y | 513 kt Inferred | Copper Gold Silver | 1.279 % 0.284 g/t 8.7 g/t | Using a 0.6 per cent copper equivalent cut-off grade and a minimum mining width of 2.5 metres. Bird, S. (2019-01-22): NI43-101 Technical Report - Gallowai-Bul River Resource Estimate. |
| BULL RIVER 2018 Y | 2,179 kt Indicated | Copper Gold Silver | 1.517 % 0.352 g/t 12.2 g/t | Using a 0.6 per cent copper equivalent cut-off grade and a minimum mining width of 2.5 metres. Bird, S. (2019-01-22): NI43-101 Technical Report - Gallowai-Bul River Resource Estimate. |
| BULL RIVER 1998 Y | 5,300 kt Combined | Copper Silver Gold | 2.2500 % 36.3400 g/t 12.0000 g/t | Measured and indicated resource. Calculation details are unavailable. Bul River Mineral Corporation, 1998; Exploration in BC 1998, page 69. |
| BULL RIVER 1982 Y | 664,500 t Unclassified | Copper | 1.9500 % | At 1.00 per cent copper cutoff and minimum thickness of 1.2 metres. Placer Oil Co. Assessment Report 23786. |