

MINFILE Number:		Name:		Status:	
Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments	
MAIN 1989	N Assay/analysis Drill Core	Zinc Lead	0.260 % 0.320 %	drill holes (BA89-4 and -5), located on the area previous trenched yielded, up to 0.195 and 0.320 per cent lead with 0.187 and 0.260 cent zinc over 1.0 metre, respectively Assessment Report 19187	
NORTHWEST 1989	N Assay/analysis Drill Core	Zinc	0.32 %	two drill holes, located approximately 300 metres to the north west, yielded 0.17 per cent zinc over 16.8 metres in hole BA89-6 and 0.32 per cent zinc over 5.0 metres in hole BA89-7. Drill hole BA89-7 also contained a 0.43 metre interval of disseminated sphalerite in a mafic ash tuff which yielded 0.39 per cent zinc over 1.0 metre Assessment Report 19187	
NORTHWEST 1988	N Assay/analysis Chip	Zinc Lead Copper	0.167 % 0.049 % 0.023 %	trench TR88-43, located approximately 300 metres to the north west, yielded 0.167 per cent zinc, 0.023 per cent copper and 0.049 per cent lead over 12 metres Assessment Report 19187 and Property File - Beekmann, J. [1988-07-10]: 1988 Mapping and Trenching Report Bay Property	
VEIN 1988	N Assay/analysis Grab	Copper Lead Zinc	0.197 % 4.02 % 2.77 %	a sample from the JB vein Property File - Beekmann, J. [1988-07-10]: 1988 Mapping and Trenching Report Bay Property	
MAIN 1988	N Assay/analysis Chip	Lead Zinc	0.750 % 0.186 %	trenching on the main JB zone yielded 0.750 per cent lead and 0.186 per cent zinc over 10 metres in trench TR88-40B, 0.35 per cent lead and 0.22 per cent zinc over 10 metres in trench TR88-39 and 0.077 per cent zinc over 130 metres in trench TR88-40+40 Assessment Report 19187 and Property File - Beekmann, J. [1988-07-10]: 1988 Mapping and Trenching Report Bay Property	