

MINFILE Number:	082M 349	Name:	HN 9	Status:	Prospect
------------------------	----------	--------------	------	----------------	----------

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
1991	N	Assay/analysis Drill Core	Copper	0.070 %	drill hole RG-409, located close to Johnson Creek to the north west (grid co-ordinates 9+80N-114+00W), yielded 0.036, 0.070 and 0.016 per cent copper, 0.122, 0.519 and 1.053 per cent zinc, 0.100, 0.242 and 1.036 per cent lead, 4.5, 4.5 and 8.0 grams per tonne silver with 0.484, 0.046 and 0.022 gram per tonne gold over 0.70, 4.10 and 0.25 metres (42.8 to 43.5, 85.2 to 89.3 and 161.0 to 161.25 metres down-hole), respectively Property File - Minnova Inc. [1991-07-21]: Drill Hole Records for the Sam Project Holes RG308-RG437
			Zinc	0.519 %	
			Lead	0.242 %	
			Silver	4.5 g/t	
			Gold	0.046 g/t	
1989	N	Assay/analysis Drill Core	Copper	0.016 %	drill hole RG-263 intercepted silicified, sericitized, dolomitized and faulted argillite, muddy tuff and chert, likely representing the lower portion of the Samatsum horizon over 2.30 metres Assessment Report 19200
			Zinc	0.02 %	
			Lead	0.13 %	
			Silver	2.4 g/t	
			Gold	0.14 g/t	
1986	N	Assay/analysis Drill Core	Silver	21.3 g/t	drilling yielded intercepts including 0.270 per cent zinc, 0.120 per cent lead and 4.7 grams per tonne silver over 0.6 metres and 21.3 grams per tonne silver with 0.425 gram per tonne gold over 0.2 metre in hole RG-58. The mineralized intercepts comprised Rea Breccia (chert and argillite) with disseminated to semi-massive pyrite and trace sphalerite-galena. Assessment Report 14738
			Gold	0.425 g/t	
1986	N	Assay/analysis Drill Core	Gold	0.415 g/t	drill hole RG-60 yielded two intercepts of 0.415 and 0.100 gram per tonne gold with 1.0 and 11.5 grams per tonne silver over 1.3 metres of quartz breccia with pyrite and 1.9 metres of Rea Breccia (chert) with disseminated and semi-massive pyrite, respectively Assessment Report 14738
			Silver	1.0 g/t	
1985	N	Assay/analysis Drill Core	Zinc	0.480 %	drill hole RG-52 over 1.75 metres of sericite-altered and quartz flooded mafic volcanic hosting up to 35 per cent pyrite Assessment Report 14185
			Lead	0.035 %	
			Silver	1.7 g/t	
1985	N	Assay/analysis Drill Core	Copper	0.31 %	drill hole (RG-55), located approximately 200 metres north west of the hole RG-52, is reported to have intercepted massive sulphide mineralization over 1.02 metres Property File - A.D. [1986-01-01]: Map of Rea Gold Option January 1986 Drill Proposal and Longitudinal Section
			Lead	1.00 %	
			Zinc	2.69 %	
			Silver	53.5 g/t	
			Gold	1.02 g/t	

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
1985	N	Assay/analysis Drill Core	Copper	0.38 %	Other drill holes, located approximately 200 to 450 metres to the south east of hole RG-52, yielded intercepts including 0.09, 0.38 and 0.15 per cent copper, 1.43, 0.92 and 0.11 per cent lead, 2.82, 1.59, 0.38 per cent zinc, 26.0, 168.0 and 45.0 grams per tonne silver with 0.21, 0.30 and 0.10 gram per tonne gold over 1.4, 2.7 and 3.15 metres in holes RG-51, RG-37 and RG-39, respectively Property File - A.D. [1986-01-01]: Map of Rea Gold Option January 1986 Drill Proposal and Longitudinal Section
			Lead	0.92 %	
			Zinc	1.59 %	
			Silver	168.0 g/t	
			Gold	0.30 g/t	