

| | | |
|---------------------------------|------------------------|-------------------------|
| MINFILE Number: 092C 042 | Name: GOLD DYKE | Status: Prospect |
|---------------------------------|------------------------|-------------------------|

| Ore Zone/ Year/Report On | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|-----------------------------|------------------------------|--------------------------------|---|---|
| OUTCROP 2024 N | Assay/analysis Rock | Gold Silver | 8.17 g/t 3.6 g/t | a rock sample (K479195) of mineralized quartz vein from the area of historical drilling, and two nearby samples (K479193 and K479194) of galena-pyrite-bearing quartz vein float yielded values of up to 0.57 gram per tonne gold, 4.3 grams per tonne silver, 0.90 per cent lead and 1.00 per cent zinc Assessment Report 42518 |
| SOUTHEAST 2023 N | Assay/analysis Rock | Gold Silver Lead | 0.389 g/t 6.9 g/t 0.114 % | two samples (F928803 and F928804) of tuff, taken approximately 250 and 600 metres southeast of the occurrence, yielded 0.105 and 0.389 gram per tonne gold, respectively, with up to 6.9 grams per tonne silver and 0.114 per cent lead Assessment Report 41595 |
| ADIT 2022 N | Assay/analysis Rock | Gold Silver Lead Zinc | 0.22 g/t 4.2 g/t 1.04 % 2.51 % | a rock sample (DV062) from a mineralized quartz vein exposed at the adit Assessment Report 40741 |
| OUTCROP 2021 N | Assay/analysis Rock | Gold | 1.17 g/t | a rock sample (DV051) of altered tuff hosting oxidized quartz veins from the occurrence area Assessment Report 39563 |
| ADIT 2001 N | Assay/analysis Chip | Gold Zinc | 0.62 g/t 0.15 % | Property File – Houle, J. (2001-07-05): Re: Field excursion to the Akunamatata Claim a chip sample (187526) from quartz-sericite-sulphide vein located at the adit portal |
| DRILLHOLE 1986 N | Assay/analysis Drill Core | Gold | 0.25 g/t | Hole 213-2 cut 50.65 metres of pyritic, altered, grey porphyritic volcanics of which averaged 0.25 gram per tonne gold over 38 metres (23 to 61 metres down hole), including 0.69 gram per tonne gold, 0.11 per cent lead and 0.38 per cent zinc over the final 5 metres of the hole (56 to 61 metres down hole) Assessment Report 15821 |

| Ore Zone/ Year/Report On | | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|-----------------------------|---|----------------------|-----------|----------|---|
| DRILLHOLE | | | Gold | 0.63 g/t | <p>Hole 213-4 cut 25.84 metres of magnetic andesite followed by 5.25 metres of pyritic, altered, grey porphyritic volcanics, 12.45 metres of andesite, 10.27 metres of quartz-carbonate vein and 22.08 metres of intercalated magnetic andesite and andesite. The 10.27-metre wide quartz-carbonate vein returned an average of 0.63 gram per tonne gold, 0.29 per cent lead and 0.73 per cent zinc over 11 metres (60 to 71 metres down hole), including 1.14 grams per tonne gold, 0.61 per cent lead and 1.97 per cent zinc over 3 metres (63 to 66 metres down hole; Assessment Report 15821).</p> <p>Another zone of quartz-carbonate veining or breccia in an andesite located further down the hole yielded 1.38 gram per tonne gold, 1.50 per cent lead and 1.04 per cent zinc over 2.47 metres (78.00 to 80.47 metres down hole).</p> <p>Assessment Report 15821</p> |
| 1986 | N | Assay/analysis | Lead | 0.29 % | |
| | | Drill Core | Zinc | 0.73 % | |
| DRILLHOLE | | | Gold | 0.20 g/t | <p>drillhole 213-1, average of entire altered, pyritic, grey porphyritic volcanic section over 56 metres (13 to 69 metres down hole). See Capsule Geology section for selected intercepts assays.</p> <p>Assessment Report 15821</p> |
| 1986 | N | Assay/analysis | Lead | 0.09 % | |
| | | Drill Core | Zinc | 0.13 % | |