

| | | | | | |
|------------------------|----------|--------------|------------|----------------|--------------------|
| MINFILE Number: | 092F 076 | Name: | IRON RIVER | Status: | Developed Prospect |
|------------------------|----------|--------------|------------|----------------|--------------------|

| Ore Zone/ Year/Report On | | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|-----------------------------|---|------------------------------|-----------|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WEST | | | Iron | 64.6 % | sampling of the West Skarn zone yielded from 11.2 to 64.6 per cent iron, 0.09 to 1.57 per cent copper and 0.3 to 14.2 grams per tonne silver from random chip samples Nicholson, G. (2008-12-10): 43-101 Technical Review Iron River Project |
| 2007 | N | Assay/analysis Grab | Copper | 1.57 % | |
| | | | Silver | 14.2 g/t | |
| WEST | | | Iron | 35.8 % | a 2.0 metre long chip sample (MMR5) Nicholson, G. (2008-12-10): 43-101 Technical Review Iron River Project |
| 2007 | N | Assay/analysis Chip | Copper | 0.94 % | |
| | | | Silver | 4.5 g/t | |
| WEST | | | Copper | 9.85 % | A grab sample from a pyrite lense with magnetite and chalcopyrite adjacent to a shear assayed 9.85 per cent copper, 750 grams per tonne silver and 47.8 per cent iron Assessment Report 13574 |
| 1985 | N | Assay/analysis Grab | Silver | 750 g/t | |
| | | | Iron | 47.8 % | |
| EAST | | | Copper | 0.26 % | In 1985, drill hole 86-IR-1 encountered a garnet-magnetite-chalcopyrite skarn from 72.00 to 117.45 metres depth, where it was terminated. The section assayed 0.26 per cent copper over 45.45 metres. Assessment Report 15877 |
| 1985 | N | Assay/analysis Drill Core | | | |
| | | | | | |
| EAST | | | Gold | 1.7 g/t | The final 10.26 metres of drill hole 86-IR-1 yielded 1.7 grams per tonne gold with maximum values of 4.1 grams per tonne gold over 2.03 metres and 4.5 grams per tonne gold over 1.5 metres at the beginning and end of the section, respectively Assessment Report 15877 |
| 1985 | N | Assay/analysis Drill Core | | | |
| | | | | | |
| EAST | | | Copper | 0.81 % | Drill hole 86-IR-3, located to the south west of 86-IR-1, intercepted the main copper zone from 100.21 to 151.79 metres depth yielding 0.81 per cent copper over 51.58 metres Assessment Report 15877 |
| 1985 | N | Assay/analysis Drill Core | | | |
| | | | | | |
| EAST | | 1,450 kt | Copper | 0.3490 % | Metallurgical testing has shown that a copper concentrate contains 1.4 - 1.7 grams per tonne gold and 2.4 - 3.4 grams per tonne silver. WWW http://www.info-mine.com/mining/properties/Wolf.html . |
| 1974 | Y | Indicated | Iron | 26.4600 % | |
| | | | | | |
| WEST | | 3,175 kt | Copper | 0.5170 % | Metallurgical testing has shown that a copper concentrate contains 1.4 - 1.7 grams per tonne gold, and 2.4 - 3.4 grams per tonne silver. WWW http://www.info-mine.com/mining/properties/Wolf.html . |
| 1974 | Y | Indicated | Iron | 38.4800 % | |
| | | | | | |