

MINFILE Number:		Name:		Status:	
Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments	
SOUTH 2019	N Assay/analysis Drill Core	Gold Silver	1.55 g/t 5.6 g/t	Drilling highlights on the South zone included 6.17 grams per tonne gold and 22.5 grams per tonne silver over a true thickness of 85.1 metres (89.0 to 180.0 metres down-hole) in hole SN19-01, 1.55 grams per tonne gold and 5.6 grams per tonne silver over a true width of 235.9 metres (70.0 to 332.0 metres down-hole) in hole SN19-10 and 9.09 grams per tonne gold with 10.0 grams per tonne silver over a true width of 62.5 metres (89.0 to 155.5 metres down-hole) in hole SN19-11. Assessment Report 39065	
SOUTH 2018	N Assay/analysis Drill Core	Gold Silver	23.02 g/t 102.7 g/t	Drilling on the newly identified South zone yielded intercepts of 0.745 gram per tonne gold and 2.1 grams per tonne silver over 175.0 metres (125.35 to 302.00 metres down-hole), including 175.00 and 14.47 grams per tonne gold with 249.6 and 10.9 grams per tonne silver over 1.65 and 4.00 metres (125.35 to 127.00 and 284.00 to 288.00 metres down-hole), respectively, in hole SN18-12; 23.02 grams per tonne gold and 102.7 grams per tonne silver over 19.00 metres (209.0 to 228.0 metres down-hole), including 50.76 grams per tonne gold and 203.5 grams per tonne silver over 6.78 metres (218.00 to 224.78 metres down-hole) in hole SN18-14; 8.95 grams per tonne gold and 65.5 grams per tonne silver over 46.20 metres (189.8 to 236.0 metres down-hole) in hole SN18-15; 12.11 grams per tonne gold with 94.31 grams per tonne silver over 12.90 metres in hole SN18-21 and 0.662 gram per tonne gold over 56.0 metres (242.0 to 298.0 metres down-hole) in hole SN18-22. Assessment Report 38217	
ALPINE 2017	N Assay/analysis Drill Core	Gold	0.520 g/t	Drilling on the Alpine zone yielded 0.520 gram per tonne gold over 85.0 metres (141.0 to 226.0 metres down-hole) in hole SN17-06 and 0.294 gram per tonne gold over 101.0 metres (146.0 to 247.0 metres down-hole) in hole SN17-07. Assessment Report 37530	
MAIN 2017	N Assay/analysis Drill Core	Gold	0.231 g/t	Drilling on the Tower zone yielded 0.170 and 0.184 gram per tonne over 33.0 and 29.0 metres (3.0 to 36.0 and 267.0 to 296.0 metres down-hole), respectively, in hole SN17-01 and 0.231 gram per tonne gold over 60.0 metres (9.0 to 69.0 metres down-hole) in hole SN17-02. Assessment Report 37530	

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments	
MAIN		Gold	0.24 g/t	Two holes were completed on the Tower zone and yielded up to 0.24 gram per tonne gold over 47.0 metres in hole SN16-01. Assessment Report 36726	
2016	N	Assay/analysis Drill Core			
ALPINE		Gold	0.23 g/t	Eight holes were completed on the Alpine zone and yielding up to 0.27 gram per tonne gold over 119.4 metres, including 16.70 grams per tonne gold and 29.9 grams per tonne silver over 0.5 metre in hole SN16-02 and 0.23 gram per tonne gold over 161.1 metres, including 3.58 grams per tonne gold and 24.5 grams per tonne silver over 2.0 metres in hole SN16-07. Assessment Report 36726	
2016	N	Assay/analysis Drill Core			
MAC		Gold	0.12 g/t	Drill hole SN16-05, collard on the Mik zone, yielded 0.12 gram per tonne gold over 39.0 metres, including 0.41 gram per tonne gold over 6.0 metres. Assessment Report 36726	
2016	N	Assay/analysis Drill Core			
MAIN		Gold	0.110 g/t	Drilling on the Tower zone yielded up to 0.110 gram per tonne gold and 6.5 grams per tonne silver over 54.7 metres in hole SN15-05. Assessment Report 35833	
2015	N	Assay/analysis Drill Core	Silver	6.5 g/t	
ALPINE		Gold	0.226 g/t	Drilling on the newly identified Alpine zone yielded 0.226 gram per tonne gold over 43.6 metres (24.5 to 68.1 metres down-hole) of siliceous crystal lithic tuff, similar to the upper levels intersected in the Tower zone. Assessment Report 35833	
2015	N	Assay/analysis Drill Core			
MAIN		Gold	0.210 g/t	Drilling on the Tower zone yielded up to 0.210 gram per tonne gold and 4.1 grams per tonne silver over 50 metres (74.0 to 124.0 metres down-hole) in hole SN-14-09. Assessment Report 35258	
2014	N	Assay/analysis Drill Core	Silver	4.1 g/t	
MAC		Gold	0.262 g/t	Drill hole (SN-14-12) on the Mik zone yielded 0.262 gram per tonne gold over 6.0 metres (18.0 to 24.0 metres down-hole). Assessment Report 35258	
2014	N	Assay/analysis Drill Core			
MAIN		Gold	0.226 g/t	Over 54.0 metres (54.0 to 108.0 metres down-hole) in hole SN-13-06 on the Tower zone. Assessment Report 34434	
2013	N	Assay/analysis Drill Core	Silver	2.2 g/t	
MAIN		Gold	0.54 g/t	Over 50.42 metres in drillhole SN12-04 at the Tower showing. PR REL Westhaven Ventures Inc., Jan. 9, 2013	
2012	N	Assay/analysis Drill Core	Silver	4.77 g/t	
MAIN		Gold	0.21 g/t	Over 55.8 metres in drillhole 11-SH-007 at the Tower showing. EMPR ASS RPT 32921	
2011	N	Assay/analysis Drill Core			

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAC		Gold	1.19 g/t	Over 4.1 metres in drillhole 11-SH-003 at the Mik showing. EMPR ASS RPT 32921
2011	N	Assay/analysis Drill Core		
MAIN		Gold	0.505 g/t	Sample taken from the Tower showing. EMPR ASS RPT 32109
2010	N	Assay/analysis Rock		
MAC		Gold	0.4169 g/t	Sample taken from the Mik showing. EMPR ASS RPT 32109
2010	N	Assay/analysis Rock		
MAC		Gold	2.72 g/t	Section of 2.9 metres in a trench at the Mik showing. EMPR ASS RPT 31356
2009	N	Assay/analysis Trench		
MAC		Gold	119.37 g/t	Sample taken from the Mik showing. EMPR ASS RPT 30621
2008	N	Assay/analysis Drill Core		