

MINFILE Number:		092INE128	Name:	MOT 15	Status:	Prospect
Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments		
QUARRY 2020	N Assay/analysis Rock	Gold	1.685 g/t	Samples (B-02) from the Quarry zone, located approximately 300 metres south of the main Mot occurrence. Caron, L. (2021-02-06): National Instrument 43-101 Technical Report on the Barnum Property, Kamloops Mining Division, South-Central British Columbia, Canada		
SOUTH 2016	N Assay/analysis Grab	Gold	1.685 g/t	Five grab samples, taken from a mineralized zone located approximately 300 metres south of the main trenched area, yielded values from 0.492 to 1.685 grams per tonne gold. Assessment Report 36039		
DRILLHOLE 1988	N Assay/analysis Drill Core	Gold	8.64 g/t	Diamond-drill hole (JAG 1-88) intersected highly fractured and brecciated argillite with local zones healed with quartz-carbonate, sample over 1.5 metres. Assessment Report 17556.		
DRILLHOLE 1988	N Assay/analysis Drill Core	Gold	1.40 g/t	Hole (JAG 4-88) intersected brecciated argillite cut by a pyritic feldspar porphyry dike containing quartz veinlets over 1.52 metres, sample over 10.7 metres, including 5.99 grams per tonne gold over 1.52 metres. Assessment Report 17556		
TRENCH 1975	N Assay/analysis Chip	Gold	20.3 g/t	Over 1.8 metres of silicified sediments cut by quartz veins (sample M-8). Assessment Report 8635		
TRENCH 1975	N Assay/analysis Chip	Gold	107.0 g/t	Over 1.8 metres of feldspar porphyry with quartz stingers hosting pyrite, chalcopyrite and galena (sample M-10). Assessment Report 8635		
WEST 1973	N Assay/analysis Rock	Gold	0.51 g/t	Rock sample from west of the main trenched area. Assessment Report 4315		
SOUTHEAST 1973	N Assay/analysis Rock	Gold	0.41 g/t	Sample taken southeast of trenched area. Assessment Report 4315		
TRENCH 1971	N Assay/analysis Rock	Gold	106.40 g/t	Six rock samples, from the main trenched area, are reported to have yielded from 1.53 to 106.40 grams per tonne gold. Assessment Report 3616		