

MINFILE Inventory Detail Report BC Geological Survey

Ministry of Energy, Mines and Petroleum Resources

MINFILE	Number:	092ISE022	Name: DIA	ANE	Status: Prospect
Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN 2020	N	Assay/analysis Rock	Copper Gold	3.63 % 0.248 g/t	Two samples (B8295252 and B8295253) from the Diane (Original) zone yielded 1.65 and 3.63 per cent copper with 0.460 and 0.248 gram per tonne gold, respectively. Besserer, D. (2021-05-21): NI 43-101 Technical Report for the Comstock Property, Nicola Valley, South-Central Interior of British Columbia
MAIN 2016	N	Assay/analysis Grab	Gold Copper	1.865 g/t 0.759 %	Three grab samples (no. 6, 7 and 8) yielded from 0.392 to 1.865 grams per tonne gold and 0.107 to 0.759 per cent copper.
LOWELL 2014	N	Assay/analysis Grab	Copper Gold	0.892 % 0.47 g/t	Assessment Report 36197 A grab sample (COM 4) from Lowell zone area. Assessment Report 34963
LOWELL 2008	N	Assay/analysis Chip	Gold Copper	1.063 g/t 0.31 %	Four continuous chip samples from the Lowell trench yielded 1.06 grams per tonne gold and 0.31 per cent copper over 3.38 metres, while grab samples yielded up to 19.5 grams per tonne gold and 8.87 per cent copper. Assessment Report 30403
MAIN 2008	N	Assay/analysis Chip	Gold Copper	3.41 g/t 0.12 %	Two chip samples (0162027 and 0159519) assayed 3.41 and 2.16 grams per tonne gold with 0.12 and 0.20 per cent copper over 1.28 and 1.5 metres, respectively, while two other chip samples (0162030 and 0159508) yielded 1.04 and 1.31 per cent copper, respectively. Assessment Report 30403
NORTH 2008	N	Assay/analysis Chip	Copper	0.68 %	A chip sample (0159525) yielded 0.68 per cent copper over 1.73 metres, while a grab sample (0159524) yielded 2.48 per cent copper. Assessment Report 30403
MAIN 2006	N	Assay/analysis Chip	Gold Copper Silver	0.86 g/t 0.300 % 3.0 g/t	Six chip samples (C504455 through C504460) from the main trenched zone yielded an average of 0.86 grams per tonne gold, 0.300 per cent copper and 3.0 grams per tonne silver, including 2.69 grams per tonne gold, 4.8 grams per tonne silver and 0.145 per cent copper over 6 metres from trench 6 and 1.10 grams per tonne gold, 5.0 grams per tonne silver and 0.551 per cent copper over 5 metres from trench 5. Assessment Report 28719
MAIN 1988	N	Assay/analysis Drill Core	Silver Gold Copper	16.4300 g/t 15.5600 g/t 0.269 %	Across 1.38 metres (58.97 to 60.35 metres down-hole) in hole STR-88-1. Assessment Report 17721.

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
LOWELL 1986	N	Assay/analysis Chip	Copper	0.2000 %	Sampling of the Lowell zone yielded up to 0.20 per cent copper over 7 metres and 0.13 per cent copper over 4 metres in trench T86-13. Assessment Report 16058.
SOUTH		Assay/analysis	Copper	0.45 %	Sampling of trench T86-12 on the South zone over 2 metres.
1986	N	Assay/anarysis Chip			Assessment Report 16058
MAIN		Assay/analysis	Gold	5.7 g/t	Over 2 metres in trench T86-7 and from 5.6 to 9.7 grams per tonne gold over 1 metre in trenches T86-5, -8
1986	N	Chip			and -9, while a rock sample (STR86-38R), located approximately 100 metres northeast of the Original zone, yielded 1.23 grams per tonne gold indicating a possible sub-parallel zone of mineralization. Assessment Report 16058
ZINC		Assay/analysis	Zinc	1.6000 %	Sample over 3 metres, while a rock sample (STR-40R) of a limonitic, grey-pink rhyolitic tuff assayed 5.4 per
1986	N	Chip			cent zinc. Assessment Report 16058.
NORTH		Assay/analysis	Gold Silver Copper	19.0 g/t 46.0 g/t 2.06 %	Chip samples (JER 18-8 and 18-10) from the North zone yielded up to 19.0 grams per tonne gold, 46.0
1984	N	Chip	Соррег	2.00 %	grams per tonne silver and 2.06 per cent copper, while sampling of trenches on the zone yielded up to 0.447 per cent copper with 0.26 gram per tonne gold over 5 metres in trench U and 0.835 per cent copper and 0.12 gram per tonne gold over 4 metres in trench T. Assessment Report 12799 and 13114
ZINC		Assay/analysis	Copper	1.06 %	Assessment Report 12860
1984	N	Grab			
S1 1984	N	Assay/analysis Grab	Gold Silver Copper	0.24 g/t 133.0 g/t 1.44 %	Two grab samples (STG1 and 4) from the STG zone. Assessment Report 12799
SOUTH			Gold Silver	5.8 g/t 11.6 g/t	Grab samples (JER 1157 and 1154) from the south zone, later that year, another sample assayed 5.29 per
1984	N	Assay/analysis Grab	Copper	1.61 %	cent copper across 1.0 metre. Assessment report 12799 and Assessment Report 12860
L		Assay/analysis	Copper Silver	0.131 % 14.2 g/t	Samples the LA zone. Assessment Report 12860
1984	N	Grab	Gold	3.16 g/t	
MAIN		Assay/analysis	Gold Silver	12.2 g/t 34.2 g/t	A grab sample JER 1098. Assessment report 12799
1984	N	Grab	Copper	27.19 %	

Sunday, November 16, 2025 MINFILE Number: 092ISE022 Page 2 of 3

Ore Zor Year/Repo		Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN			Gold Silver	3.9 g/t 4.3 g/t	Average of chip sampling over 3.9 metres.
1984	N	Assay/analysis Chip	Silver		Assessment report 12799

Sunday, November 16, 2025 MINFILE Number: 092ISE022 Page 3 of 3