

## MINFILE Inventory Detail Report BC Geological Survey Ministry of Energy, Mines and Petroleum Resources

| MINFILE Number:             |          | 093E 007               | Name: TA                                 | HTSA RANGE   | Status: Showing  |
|-----------------------------|----------|------------------------|--|--|--|
| Ore Zone/<br>Year/Report On |          | Tonnage/<br>Category   | Commodity                                | Grade  | Reference/<br>Comments   |
| SAMPLE<br>2015              | N        | Assay/analysis<br>Rock | Silver<br>Copper<br>Zinc<br>Lead         | 13140 g/t<br>1.04 %<br>6.20 %<br>20 %              | Sampling of the Saddle zone.<br>Tetra Tech Canada Inc. (2021-05-03): Updated<br>Technical Report and Mineral Resource Estimate on the<br>Berg Project, British Columbia  |
| SOUTH<br>1984               | N        | Assay/analysis<br>Rock | Silver<br>Gold<br>Zinc                   | 36.5 g/t<br>0.50 g/t<br>0.20 %                     | A sample (40315) from a gossanous, pyritized, silicified<br>quartz-diorite plug, located approximately 1.5<br>kilometres south-southwest of the Saddle zone.<br>Assessment Report 13703  |
| NORTHWE                     | EST<br>N | Assay/analysis<br>Rock | Copper<br>Zinc<br>Silver                 | 1.2 %<br>1.8 %<br>269 g/t                          | A sample of (42906) sphalerite, galena, chalcopyrite<br>and pyrite, taken approximately 900 metres to the<br>northwest of the Saddle zone.<br>Assessment Report 13703  |
| SAMPLE<br>1984              | N        | Assay/analysis<br>Rock | Silver<br>Gold<br>Copper<br>Lead<br>Zinc | 4589 g/t<br>0.52 g/t<br>0.71 %<br>1.61 %<br>3.10 % | Average of five samples (25246 to 25250) of trenched<br>boulders from the Saddle zone, while a nearby in-situ<br>sample (41397) of epidote-pyrite-chalcopyrite veinlets<br>assayed 0.56 per cent copper, 47.3 grams per tonne<br>silver and 0.77 gram per tonne gold.<br>Assessment Report 13703 |
| SAMPLE<br>1982              | N        | Assay/analysis<br>Rock | Silver                                   | 12000 g/t  | Sample from trenching on the 'Saddle' zone.<br>Assessment Report 13703   |