

|                                 |                   |                         |
|---------------------------------|-------------------|-------------------------|
| <b>MINFILE Number:</b> 093F 043 | <b>Name:</b> FAWN | <b>Status:</b> Prospect |
|---------------------------------|-------------------|-------------------------|

| Ore Zone/<br>Year/Report On | Tonnage/<br>Category         | Commodity              | Grade                          | Reference/<br>Comments   |
|-----------------------------|------------------------------|------------------------|--------------------------------|--|
| SOUTH<br><br>2011 N         | Assay/analysis<br>Drill Core | Gold<br>Silver         | 0.22 g/t<br>2.0 g/t            | Drill hole FWN11-02, located approximately 600 metres south of the Giver zone, intersected an altered andesite lapilli tuff yielding up to 0.22 gram per tonne gold and 2.0 grams per tonne silver over 1.05 metres<br>Assessment Report 32537             |
| DRILLHOLE<br><br>1994 N     | Assay/analysis<br>Drill Core | Silver<br>Gold         | 25.2000 g/t<br>2.0200 g/t      | Sample from 8.1 metre intercept in diamond drill hole FWN94-02.<br>Assessment Report 23531.  |
| FLOAT<br><br>1991 N         | Assay/analysis<br>Rock       | Gold<br>Silver<br>Lead | 3.4 g/t<br>92.0 g/t<br>0.144 % | A sample (485884) from float boulders from the Givermore zone<br>Assessment Report 21927   |
| TRENCH<br><br>1991 N        | Assay/analysis<br>Rock       | Gold<br>Silver<br>Zinc | 12.9 g/t<br>25.0 g/t<br>0.16 % | Two samples (508928 and 508688) from a former trench, located 90 metres south of the Giver zone, yielded 12.9 and 4.9 grams per tonne gold, 25.0 and 23.8 grams per tonne silver with 0.16 and 0.47 per cent zinc, respectively<br>Assessment Report 21927 |