MINFILE Number: 093G 015 **Name:** QUESNELLE QUARTZ **Status:** Past Producer

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
DRILLHOLE 2024 N	Assay/analysis Drill Core	Gold	23.3 g/t	DDH QGQ23-01: 0.15 metre recovery of 3.1 metre intercept of Koch? vein PR REL Golden Cariboo Resources January 18, 2024
DRILLHOLE 2024 N	Assay/analysis Drill Core	Gold	4.65 g/t	QGQ23-01: 7.15 metre intercept in lower replacement mineralization PR REL Golden Cariboo Resources January 18, 2024
DRILLHOLE 2024 N	Assay/analysis Drill Core	Gold	1.12 g/t	QGQ23-01: 18.7 metre intercept in lower replacement mineralization PR REL Golden Cariboo Resources January 18, 2024
DRILLHOLE 2024 N	Assay/analysis Drill Core	Gold	2.77 g/t	DDH QGQ23-04: 62.5 metre intercept from 164.15 to 170.4 metres downhole PR REL Golden Cariboo Resources April 30, 2024
DRILLHOLE 2024 N	Assay/analysis Drill Core	Gold	2.96 g/t	DDH QGQ23-04: 0.65 metre intercept from 173.45 to 174.1 metres downhole PR REL Golden Cariboo Resources April 30, 2024
DRILLHOLE 2024 N	Assay/analysis Drill Core	Gold	1.35 g/t	DDH QGQ23-04: 41.0 metre intercept from 88.5 to 129.5 metres downhole,including 4.65 grams per tonne gold over a 7.15 metre intercept from 88.5 to 95.65 metres downhole and 1.12 grams per tonne gold over 18.7 metres from 110.8 to 129.5 metres downhole, below the probable historical Koch Vein. PR REL Golden Cariboo April 30, 2024
DRILLHOLE 2023 N	Assay/analysis Drill Core	Gold	0.69 g/t	DDH QGQ22-02: 22.3 metre intercept from 94.4 to 116.7 metres downhole, including 5.73 grams per tonne gold over 2.1 metres and 81.2 grams per tonne silver over 1.0 metre PR REL Golden Cariboo April 25, 2023
FOOTWALL 2020 N	Assay/analysis Trench	Gold	1.94 g/t	0.5 metre wide footwall of Koch vein Assessment Report 38841
MAIN SHAFT VEIN 2020 N	Assay/analysis Grab	Gold Silver	2 g/t 25.3 g/t	an average from 3 grab samples of quartz vein boulders at the Main shaft Assessment Report 38841

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN SHAFT VEIN 2020	N	Assay/analysis Trench	Gold Silver	2 g/t 10.1 g/t	0.4 metre sample from Main Shaft area Assessment Report 38841
MAIN SHAFT VEIN 2020	N	Assay/analysis Trench	Gold	7.65 g/t	1.7 metre sample from Main shaft area Assessment Report 38841
VEIN 2020	N	Assay/analysis Grab	Gold Silver	9 g/t 100 g/t	pyritic Koch vein boulders Assessment Report 38841
VEIN 2020	N	Assay/analysis Trench	Gold Silver	5 g/t 61.5 g/t	0.6m wide accessible portion of the 1.75m wide Koch vein Assessment Report 38841
MAIN 2007	N	Assay/analysis Drill Core	Gold Silver	11.8 g/t 12.9 g/t	Diamond drilling yielded on the Main shaft area intercepts including 6.75 grams per tonne gold with 54.5 grams per tonne silver over 3 metres in hole 07-1 and 11.8 grams per tonne gold with 12.9 grams per tonne silver over 1.5 metres in hole 07-3. Pautler, J. (2019-07-28): Technical Report on the Quesnelle Gold Quartz Mine Property
MAIN 2006	N	Assay/analysis Chip	Gold	68.8 g/t	Trenching on the Main shaft area over 1.0 metre. Pautler, J. (2019-07-28): Technical Report on the Quesnelle Gold Quartz Mine Property
WEST 2006	N	Assay/analysis Chip	Gold	0.41 g/t	Trenching on the Raven zone over 6 metres. Pautler, J. (2019-07-28): Technical Report on the Quesnelle Gold Quartz Mine Property
WEST 1988	N	Assay/analysis Chip	Gold	8.2 g/t	A chip sample over 6 metres from the Raven zone. Property File - Hixon Gold Resources Inc. [1988-11-18]: Prospectus - Hixon Gold Resources Inc.)
MAIN 1988	N	Assay/analysis Drill Core	Gold	4.8 g/t	Over 3.0 metres in hole 88-5. Property File - Hixon Gold Resources Inc. [1988-11-18]: Prospectus - Hixon Gold Resources Inc.).
EAST 1988	N	Assay/analysis Drill Core	Gold	5.2 g/t	Over 2.75 metres in hole 88-5. Property File - Hixon Gold Resources Inc. [1988-11-18]: Prospectus - Hixon Gold Resources Inc.).
MAIN 1987	N	Assay/analysis Drill Core	Gold	5.1 g/t	Over 1.5 metres in hole 87-1. Property File - Hixon Gold Resources Inc. [1988-11-18]: Prospectus - Hixon Gold Resources Inc.).

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
EAST 1987	 N	 Assay/analysis Drill Core	Gold	1.0 g/t	Over 3 metres in hole 87-1. Property File - Hixon Gold Resources Inc. [1988-11-18]: Prospectus - Hixon Gold Resources Inc.)
EAST 1983	 N	 Assay/analysis Drill Core	Gold	7.2 g/t	Over 1.5 metres from a sludge sample of drill hole 83-1. Property File - Hixon Gold Resources Inc. [1988-11-18]: Prospectus - Hixon Gold Resources Inc
MAIN 1983	 N	 Assay/analysis Drill Core	Gold	5.7 g/t	Drilling on the main zone yielded up to 5.7 grams per tonne gold over 1.5 metres in hole 83-1. Property File - Hixon Gold Resources Inc. [1988-11-18]: Prospectus - Hixon Gold Resources Inc.).
WEST 1981	 N	 Assay/analysis Chip	Gold	7.16 g/t	A chip sample from a trench on the Raven zone over 3 metres. Re-sampling, in 1982, yielded 5.27 grams per tonne gold over 3 metres. Property File - Golden Rule Resources Ltd. [1984-05-01]: Review of the Hixon Creek Gold Project
DUMP 1979	 N	 Assay/analysis Grab	Gold	4.9 g/t	Six separate dump areas were sampled yielding from trace to 4.9 grams per tonne gold. Property File - Hixon Gold Resources Inc. [1988-11-18]: Prospectus - Hixon Gold Resources Inc.).
VEIN 1935	 N	 Assay/analysis Chip	Gold Silver	146.0 g/t 2288 g/t	146.0 grams per tonne gold and 2288 grams per tonne silver over 35 centimetres from the no. 9 vein. Property File - Hixon Gold Resources Inc. [1988-11-18]: Prospectus - Hixon Gold Resources Inc.
MAIN 1933	 N	 Assay/analysis Rock	Gold Silver	2.1 g/t 7.9 g/t	An average grade of 2.1 grams per tonne gold and 7.9 grams per tonne silver was reported for all samples of greenstone for the four levels or to a depth of 43.65 metres, including 2.2 grams per tonne gold and 8.6 grams per tonne silver from surface to a depth of 29.1 metres Property File - P.E. Peterson [1936-01-20]: Re: Summary Report on the mining property of the Quesnel Quartz Mining Co. Ltd.).