

|                                 |                   |                        |
|---------------------------------|-------------------|------------------------|
| <b>MINFILE Number:</b> 094E 028 | <b>Name:</b> PARK | <b>Status:</b> Showing |
|---------------------------------|-------------------|------------------------|

| Ore Zone/<br>Year/Report On | Tonnage/<br>Category   | Commodity      | Grade                    | Reference/<br>Comments   |
|-----------------------------|------------------------|----------------|--------------------------|--|
| GOSSAN<br>2014 N            | Assay/analysis<br>Rock | Copper         | 0.77 %                   | Sample M109114<br>Assessment Report 35255  |
| GOSSAN<br>2005 N            | Assay/analysis<br>Chip | Gold           | 0.134 g/t                | a 1.0 metre chip sample (275561)<br>Assessment Report 28004  |
| FLOAT<br>2001 N             | Assay/analysis<br>Grab | Gold           | 2.96 g/t                 | float sample (51070) from the main gossan<br>Assessment Report 26661   |
| GOSSAN<br>1987 N            | Assay/analysis<br>Rock | Gold           | 1.58 g/t                 | two rock samples (10501 and CH-1) of manganese-iron<br>silica sinter from the main gossan<br>Assessment Report 17322                               |
| TRENCH<br>1982 N            | Assay/analysis<br>Chip | Silver<br>Gold | 3.9000 g/t<br>2.9000 g/t | Sample 1830E, a 2-metre chip sample from Trench 5.<br>The trench averaged 0.85 gram per tonne gold over 12.0<br>metres<br>Assessment Report 11148. |
| GOSSAN<br>1981 N            | Assay/analysis<br>Rock | Gold           | 0.285 g/t                | Sample 647-66-1<br>Assessment Report 10485   |