

| | | | | | |
|------------------------|----------|--------------|-----|----------------|---------|
| MINFILE Number: | 094E 083 | Name: | ARG | Status: | Showing |
|------------------------|----------|--------------|-----|----------------|---------|

| Ore Zone/ Year/Report On | | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|-----------------------------|---|------------------------|-----------|------------|--|
| SAMPLE | | | Copper | 1.56 % | 2022 rock sample F927116: a strongly chloritized, Mn-oxide and malachite-coated monzonite sample (F927116) taken on the ridge approximately 250 metres west of Arg, in the centre of a large copper-gold-molybdenum-in-soil anomaly Assessment Report 40755 |
| 2023 | Y | Assay/analysis Grab | | | |
| WEST | | | Copper | 0.399 % | A chip sample (RMR-PN-03-027) of monzonite hosting malachite and chalcocite along fractures over 5.0 metres, taken from the same area as the 2000 sample Assessment Report 27310 |
| 2003 | N | Assay/analysis Chip | Zinc | 0.275 % | |
| SAMPLE | | | Copper | 0.279 % | Select grab samples (RM02PN-25) over 15.0 metres of epidote altered syenite with chalcocite(?) in fractures and trace malachite Assessment Report 27055 |
| 2002 | N | Assay/analysis Grab | | | |
| WEST | | | Gold | 0.176 g/t | Grab samples (PILN-RB00-05), taken approximately 500 metres to the west, of weakly silicified syenite with trace pyrite over 2.0 metres Assessment Report 26383 |
| 2000 | N | Assay/analysis Grab | | | |
| SAMPLE | | | Gold | 0.102 g/t | Assay values from samples R262 and R261 yielded 1.6 and 1.0 grams per tonne silver, while a nearby sample (R1001) of quartz assayed 0.102 gram per tonne gold and 1.4 grams per tonne silver Assessment Report 15264 |
| 1986 | N | Assay/analysis Rock | Silver | 1.6 g/t | |
| SAMPLE | | | Silver | 4.3000 g/t | Sample SC-40-80-15, a grab sample of hornblende diorite and quartz porphyritic monzonite. Assessment Report 8574. |
| | | | Gold | 0.3300 g/t | |
| | | | Copper | 0.0380 % | |
| 1980 | | Assay/analysis Grab | Lead | 0.5500 % | |