

MINFILE Number: 103P 006	Name: WILLOUGHBY	Status: Developed Prospect
---------------------------------	-------------------------	-----------------------------------

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
SAMPLE		Gold	2.76 g/t	One metre chip sample.
2017	N	Silver	92.1 g/t	Information Circular 2018-1, page 134.
	Assay/analysis Chip			
NORTH		Gold	386.3 g/t	over 2.9 metres in hole 95-36 on the North zone
1995	N	Silver	213.5 g/t	LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property
	Assay/analysis Drill Core			
NORTH		Gold	21.8 g/t	silver over 3.8 metres in hole 95-57 on the North-North zone
1995	N	Silver	15.9 g/t	LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property
	Assay/analysis Drill Core			
LOWER		Gold	4.69 g/t	over 6.1 metres in hole 95-45 on the Lower Ice Fall zone
1995	N			LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property
	Assay/analysis Drill Core			
MAIN		Gold	16.0 g/t	over 13 metres in hole 95-53 on the Wilby zone
1995	N	Silver	63.8 g/t	LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property
	Assay/analysis Drill Core			
UPPER		Gold	21.03 g/t	over 1.0 metre on the Upper Ice Fall zone
1995	N			LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property
	Assay/analysis Drill Core			
WILLOW CREEK		Gold	5.24 g/t	over 2.2 metres in hole 95-40 on the Willow (Buffalo) zone
1995	N			LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property
	Assay/analysis Drill Core			
WILLOW CREEK		Gold	5.24 g/t	over 2.2 metres in hole 95-40 on the Willow (Buffalo) zone
1994	N			LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property
	Assay/analysis Drill Core			
UPPER		Gold	44.48 g/t	over 1.0 metre in hole 94-28 on the Upper Ice Fall zone
1994	N			LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property
	Assay/analysis Drill Core			
MAIN		Silver	12.3000 g/t	Over 4.2 metres. Also referred to as the Wilby zone.
1994	N	Gold	15.6000 g/t	Assessment Report 23674.
	Assay/analysis Drill Core			

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments																																																																																				
MAIN 1994	N	Assay/analysis Drill Core	Gold	15.8 g/t	over 4.2 metres in hole 94-22 on the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver	12.4 g/t		NORTH 1994	N	Assay/analysis Drill Core	Gold	40.1 g/t	over 11.7 metres in hole 94-15 on the North zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	109.6 g/t	NORTH 1989	N	Assay/analysis Drill Core	Gold	24.98 g/t	over 20.5 metres in hole NZ89-06 on the North zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	184.21 g/t	NORTH 1989	N	Assay/analysis Chip	Gold	39.1 g/t	over 1.65 metres from the North zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	324.9 g/t	SAMPLE 1989	N	Assay/analysis Chip	Gold	16.76 g/t	over 4.0 metres from the Kiwi zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		UPPER 1989	N	Assay/analysis Chip	Gold	24.51 g/t	over 1.5 metres from the Upper Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	72.8 g/t	MAIN 1989	N	Assay/analysis Drill Core	Gold	29.75 g/t	over 1.5 metres in hole MX89-04 on the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	27.80 g/t	MAIN 1989	N	Assay/analysis Chip	Gold	9.73 g/t	over 8.0 metres from the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	26.68 g/t	B 1989	N	Assay/analysis Chip	Gold	10.17 g/t	over 1.0 metre from the Back zone (Willoughby) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	212.8 g/t	E 1989	N	Assay/analysis Chip	Gold	12.25 g/t	over 2.6 metres from the Edge (Northern) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	17.4 g/t	LOWER 1989	N	Assay/analysis Chip	Gold	120.38 g/t	over 1.2 metres on the Lower Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		WILLOW CREEK 1989	N	Assay/analysis Chip	Gold
NORTH 1994	N	Assay/analysis Drill Core	Gold	40.1 g/t	over 11.7 metres in hole 94-15 on the North zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver	109.6 g/t		NORTH 1989	N	Assay/analysis Drill Core	Gold	24.98 g/t	over 20.5 metres in hole NZ89-06 on the North zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	184.21 g/t	NORTH 1989	N	Assay/analysis Chip	Gold	39.1 g/t	over 1.65 metres from the North zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	324.9 g/t	SAMPLE 1989	N	Assay/analysis Chip	Gold	16.76 g/t	over 4.0 metres from the Kiwi zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		UPPER 1989	N	Assay/analysis Chip	Gold	24.51 g/t	over 1.5 metres from the Upper Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	72.8 g/t	MAIN 1989	N	Assay/analysis Drill Core	Gold	29.75 g/t	over 1.5 metres in hole MX89-04 on the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	27.80 g/t	MAIN 1989	N	Assay/analysis Chip	Gold	9.73 g/t	over 8.0 metres from the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	26.68 g/t	B 1989	N	Assay/analysis Chip	Gold	10.17 g/t	over 1.0 metre from the Back zone (Willoughby) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	212.8 g/t	E 1989	N	Assay/analysis Chip	Gold	12.25 g/t	over 2.6 metres from the Edge (Northern) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	17.4 g/t	LOWER 1989	N	Assay/analysis Chip	Gold	120.38 g/t	over 1.2 metres on the Lower Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		WILLOW CREEK 1989	N	Assay/analysis Chip	Gold	10.55 g/t	over 1.5 metres from the Willow zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	15.9 g/t				
NORTH 1989	N	Assay/analysis Drill Core	Gold	24.98 g/t	over 20.5 metres in hole NZ89-06 on the North zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver	184.21 g/t		NORTH 1989	N	Assay/analysis Chip	Gold	39.1 g/t	over 1.65 metres from the North zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	324.9 g/t	SAMPLE 1989	N	Assay/analysis Chip	Gold	16.76 g/t	over 4.0 metres from the Kiwi zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		UPPER 1989	N	Assay/analysis Chip	Gold	24.51 g/t	over 1.5 metres from the Upper Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	72.8 g/t	MAIN 1989	N	Assay/analysis Drill Core	Gold	29.75 g/t	over 1.5 metres in hole MX89-04 on the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	27.80 g/t	MAIN 1989	N	Assay/analysis Chip	Gold	9.73 g/t	over 8.0 metres from the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	26.68 g/t	B 1989	N	Assay/analysis Chip	Gold	10.17 g/t	over 1.0 metre from the Back zone (Willoughby) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	212.8 g/t	E 1989	N	Assay/analysis Chip	Gold	12.25 g/t	over 2.6 metres from the Edge (Northern) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	17.4 g/t	LOWER 1989	N	Assay/analysis Chip	Gold	120.38 g/t	over 1.2 metres on the Lower Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		WILLOW CREEK 1989	N	Assay/analysis Chip	Gold	10.55 g/t	over 1.5 metres from the Willow zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	15.9 g/t												
NORTH 1989	N	Assay/analysis Chip	Gold	39.1 g/t	over 1.65 metres from the North zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver	324.9 g/t		SAMPLE 1989	N	Assay/analysis Chip	Gold	16.76 g/t	over 4.0 metres from the Kiwi zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		UPPER 1989	N	Assay/analysis Chip	Gold	24.51 g/t	over 1.5 metres from the Upper Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	72.8 g/t	MAIN 1989	N	Assay/analysis Drill Core	Gold	29.75 g/t	over 1.5 metres in hole MX89-04 on the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	27.80 g/t	MAIN 1989	N	Assay/analysis Chip	Gold	9.73 g/t	over 8.0 metres from the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	26.68 g/t	B 1989	N	Assay/analysis Chip	Gold	10.17 g/t	over 1.0 metre from the Back zone (Willoughby) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	212.8 g/t	E 1989	N	Assay/analysis Chip	Gold	12.25 g/t	over 2.6 metres from the Edge (Northern) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	17.4 g/t	LOWER 1989	N	Assay/analysis Chip	Gold	120.38 g/t	over 1.2 metres on the Lower Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		WILLOW CREEK 1989	N	Assay/analysis Chip	Gold	10.55 g/t	over 1.5 metres from the Willow zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	15.9 g/t																				
SAMPLE 1989	N	Assay/analysis Chip	Gold	16.76 g/t	over 4.0 metres from the Kiwi zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver			UPPER 1989	N	Assay/analysis Chip	Gold	24.51 g/t	over 1.5 metres from the Upper Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	72.8 g/t	MAIN 1989	N	Assay/analysis Drill Core	Gold	29.75 g/t	over 1.5 metres in hole MX89-04 on the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	27.80 g/t	MAIN 1989	N	Assay/analysis Chip	Gold	9.73 g/t	over 8.0 metres from the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	26.68 g/t	B 1989	N	Assay/analysis Chip	Gold	10.17 g/t	over 1.0 metre from the Back zone (Willoughby) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	212.8 g/t	E 1989	N	Assay/analysis Chip	Gold	12.25 g/t	over 2.6 metres from the Edge (Northern) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	17.4 g/t	LOWER 1989	N	Assay/analysis Chip	Gold	120.38 g/t	over 1.2 metres on the Lower Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		WILLOW CREEK 1989	N	Assay/analysis Chip	Gold	10.55 g/t	over 1.5 metres from the Willow zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	15.9 g/t																												
UPPER 1989	N	Assay/analysis Chip	Gold	24.51 g/t	over 1.5 metres from the Upper Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver	72.8 g/t		MAIN 1989	N	Assay/analysis Drill Core	Gold	29.75 g/t	over 1.5 metres in hole MX89-04 on the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	27.80 g/t	MAIN 1989	N	Assay/analysis Chip	Gold	9.73 g/t	over 8.0 metres from the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	26.68 g/t	B 1989	N	Assay/analysis Chip	Gold	10.17 g/t	over 1.0 metre from the Back zone (Willoughby) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	212.8 g/t	E 1989	N	Assay/analysis Chip	Gold	12.25 g/t	over 2.6 metres from the Edge (Northern) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	17.4 g/t	LOWER 1989	N	Assay/analysis Chip	Gold	120.38 g/t	over 1.2 metres on the Lower Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		WILLOW CREEK 1989	N	Assay/analysis Chip	Gold	10.55 g/t	over 1.5 metres from the Willow zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	15.9 g/t																																				
MAIN 1989	N	Assay/analysis Drill Core	Gold	29.75 g/t	over 1.5 metres in hole MX89-04 on the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver	27.80 g/t		MAIN 1989	N	Assay/analysis Chip	Gold	9.73 g/t	over 8.0 metres from the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	26.68 g/t	B 1989	N	Assay/analysis Chip	Gold	10.17 g/t	over 1.0 metre from the Back zone (Willoughby) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	212.8 g/t	E 1989	N	Assay/analysis Chip	Gold	12.25 g/t	over 2.6 metres from the Edge (Northern) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	17.4 g/t	LOWER 1989	N	Assay/analysis Chip	Gold	120.38 g/t	over 1.2 metres on the Lower Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		WILLOW CREEK 1989	N	Assay/analysis Chip	Gold	10.55 g/t	over 1.5 metres from the Willow zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	15.9 g/t																																												
MAIN 1989	N	Assay/analysis Chip	Gold	9.73 g/t	over 8.0 metres from the Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver	26.68 g/t		B 1989	N	Assay/analysis Chip	Gold	10.17 g/t	over 1.0 metre from the Back zone (Willoughby) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	212.8 g/t	E 1989	N	Assay/analysis Chip	Gold	12.25 g/t	over 2.6 metres from the Edge (Northern) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	17.4 g/t	LOWER 1989	N	Assay/analysis Chip	Gold	120.38 g/t	over 1.2 metres on the Lower Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		WILLOW CREEK 1989	N	Assay/analysis Chip	Gold	10.55 g/t	over 1.5 metres from the Willow zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	15.9 g/t																																																				
B 1989	N	Assay/analysis Chip	Gold	10.17 g/t	over 1.0 metre from the Back zone (Willoughby) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver	212.8 g/t		E 1989	N	Assay/analysis Chip	Gold	12.25 g/t	over 2.6 metres from the Edge (Northern) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	17.4 g/t	LOWER 1989	N	Assay/analysis Chip	Gold	120.38 g/t	over 1.2 metres on the Lower Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		WILLOW CREEK 1989	N	Assay/analysis Chip	Gold	10.55 g/t	over 1.5 metres from the Willow zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	15.9 g/t																																																												
E 1989	N	Assay/analysis Chip	Gold	12.25 g/t	over 2.6 metres from the Edge (Northern) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver	17.4 g/t		LOWER 1989	N	Assay/analysis Chip	Gold	120.38 g/t	over 1.2 metres on the Lower Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver		WILLOW CREEK 1989	N	Assay/analysis Chip	Gold	10.55 g/t	over 1.5 metres from the Willow zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	15.9 g/t																																																																				
LOWER 1989	N	Assay/analysis Chip	Gold	120.38 g/t	over 1.2 metres on the Lower Ice Fall zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver			WILLOW CREEK 1989	N	Assay/analysis Chip	Gold	10.55 g/t	over 1.5 metres from the Willow zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property	Silver	15.9 g/t																																																																												
WILLOW CREEK 1989	N	Assay/analysis Chip	Gold	10.55 g/t	over 1.5 metres from the Willow zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property																																																																																				
			Silver	15.9 g/t																																																																																					

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
WILLOW CREEK			Gold	2.46 g/t	over 25.5 metres in hole WZ89-11 on the Willow zone (Willoughby) zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property
1989	N	Assay/analysis	Silver	10.39 g/t	
		Drill Core			
MAIN			Gold	32.9 g/t	surface sampling program on the Willoughby nunatak, over 1.5 metres LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property
1945	N	Assay/analysis			
		Chip			
MAIN			Gold	89 g/t	chip and grab sampling of the Willoughby nunatak - Wilby zone LaPeare, B. (2008-04-16): Independent Technical Report - Amended - Willoughby Property
1941	N	Assay/analysis			
		Grab			