

<b>MINFILE Number:</b> 104J 035	<b>Name:</b> STAR	<b>Status:</b> Prospect
---------------------------------	-------------------	-------------------------

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
DRILLHOLE 2007 N	Assay/analysis Drill Core	Gold Copper	0.19 g/t 0.41 %	229.17 metres in hole CC2007-04 Caron, L. (2013-07-16): National Instrument 43-101 Technical Report on the Sheslay Property
DRILLHOLE 2007 N	Assay/analysis Drill Core	Copper Gold	0.35 % 0.17 g/t	over 334.67 metres in hole CC2007-01 Caron, L. (2013-07-16): National Instrument 43-101 Technical Report on the Sheslay Property
DRILLHOLE 2005 N	Assay/analysis Drill Core	Copper Gold	0.44 % 0.25 g/t	over 142.08 metres in hole CC2005-09 Caron, L. (2013-07-16): National Instrument 43-101 Technical Report on the Sheslay Property
TRENCH 2004 N	Assay/analysis Chip	Copper Gold	0.37 % 0.23 g/t	trenching over an area of approximately 300 by 400 metres yielded up to 0.37 per cent copper and 0.23 gram per tonne gold over 270 metres, including 0.51 per cent copper and 0.25 gram per tonne gold over 138 metres from the Upper Main trench Caron, L. (2013-07-16): National Instrument 43-101 Technical Report on the Sheslay Property
DRILLHOLE 2004 N	Assay/analysis Drill Core	Copper Gold	0.80 % 0.73 g/t	An average over 52.3 metres. Exploration and Mining in British Columbia 2004, page 27.
TRENCH 2003 N	Assay/analysis Chip	Copper Gold	0.35 % 0.32 g/t	sampling of trenches yielded up to 0.35 per cent copper and 0.32 gram per tonne gold over 40 metres in trench CC-TR-2003-1 Caron, L. (2013-07-16): National Instrument 43-101 Technical Report on the Sheslay Property
AREA 1977 N	Assay/analysis Grab	Copper	0.4000 %	Widespread areas with this average copper content. Geology in British Columbia 1977-1981, page 178.
TRENCH 1977 N	Assay/analysis Chip	Copper	0.44 %	trenching yielded 0.33 and 0.44 per cent copper over 70 and 179 metres in trenches TR1W and TR2W, respectively Caron, L. (2013-07-16): National Instrument 43-101 Technical Report on the Sheslay Property