

|                                 |                        |                         |
|---------------------------------|------------------------|-------------------------|
| <b>MINFILE Number:</b> 104O 011 | <b>Name:</b> ARSENAULT | <b>Status:</b> Prospect |
|---------------------------------|------------------------|-------------------------|

| Ore Zone/<br>Year/Report On | Tonnage/<br>Category         | Commodity                    | Grade                         | Reference/<br>Comments  |
|-----------------------------|------------------------------|------------------------------|-------------------------------|---|
| TRENCH<br>1989 N            | Assay/analysis<br>Chip       | Copper<br>Gold               | 0.46 %<br>1.3 g/t             | over 7.5 metres<br>Assessment Report 25882  |
| DRILLHOLE<br>1981 N         | Assay/analysis<br>Drill Core | Copper                       | 0.2 %                         | over 15.0 metres in hole 81-1<br>Ostensoe, E.A., Buckle, J. (2011-06-01): Technical Report and Recommendations – Arsenault Property   |
| DRILLHOLE<br>1979 N         | Assay/analysis<br>Drill Core | Copper<br>Silver<br>Gold     | 0.72 %<br>3.7 g/t<br>0.31 g/t | over 1.5 metres in hole 79-2<br>Ostensoe, E.A., Buckle, J. (2011-06-01): Technical Report and Recommendations – Arsenault Property    |
| DRILLHOLE<br>1971 N         | Assay/analysis<br>Drill Core | Copper<br>Silver             | 0.35 %<br>1.7 g/t             | Property File - Cyprus Anvil - Germon, 1971.  |
| TRENCH<br>1967 N            | Assay/analysis<br>Chip       | Copper<br>Molybdenum         | 0.98 %<br>0.017 %             | over 3.6 metres in trench T5<br>Ostensoe, E.A., Buckle, J. (2011-06-01): Technical Report and Recommendations – Arsenault Property    |
| TRENCH<br>1967 N            | Assay/analysis<br>Chip       | Copper<br>Molybdenum<br>Gold | 0.70 %<br>0.030 %<br>3.4 g/t  | over 3.0 metres in trench T8-2<br>Ostensoe, E.A., Buckle, J. (2011-06-01): Technical Report and Recommendations – Arsenault Property  |
| TRENCH<br>1967 N            | Assay/analysis<br>Chip       | Copper<br>Molybdenum         | 0.6 %<br>0.017 %              | over 3.6 metres in trench T10-2<br>Ostensoe, E.A., Buckle, J. (2011-06-01): Technical Report and Recommendations – Arsenault Property |