

|                        |          |              |             |                |          |
|------------------------|----------|--------------|-------------|----------------|----------|
| <b>MINFILE Number:</b> | 104P 014 | <b>Name:</b> | SNOWY CREEK | <b>Status:</b> | Prospect |
|------------------------|----------|--------------|-------------|----------------|----------|

| <b>Ore Zone/<br/>Year/Report On</b> |   | <b>Tonnage/<br/>Category</b> | <b>Commodity</b> | <b>Grade</b> | <b>Reference/<br/>Comments</b>  |
|-------------------------------------|---|------------------------------|------------------|--------------|---|
| ADIT                                |   |                              | Gold             | 6.14 g/t     | Two rock samples (667864 and 667865) of limonitic quartz veins with pyrite from the area of the historic adit assayed 6.14 and 4.86 grams per tonne gold, respectively<br>Assessment Report 39350   |
| 2020                                | N | Assay/analysis<br>Rock       |                  |              |   |
| NORTHWEST                           |   |                              | Gold             | 2.74 g/t     | A select grab sample (19119) of quartz vein with pyrite and trace tetrahedrite, from the Hanna 9 zone<br>Assessment Report 38989  |
| 2019                                | N | Assay/analysis<br>Grab       |                  |              |   |
| SAMPLE                              |   |                              | Gold             | 1.23 g/t     | Six rock samples (32310 through 32312 and 32315 through 32317) from the Snowy Creek occurrence area yielded from 0.55 to 1.23 grams per tonne gold<br>Assessment Report 19279   |
| 1989                                | N | Assay/analysis<br>Rock       |                  |              |   |
| NORTHWEST                           |   |                              | Gold             | 2.2 g/t      | Drilling on the southwest strike extension of the 1985 drillholes yielded up to 1.5 and 0.8 grams per tonne gold over 0.30 and 0.60 metres, respectively, in hole 87-5, while drilling on the northeast strike extension yielded up to 2.2 grams per tonne gold over 1.5 metres in hole 87-6<br>Assessment Report 16777 |
| 1987                                | N | Assay/analysis<br>Drill Core |                  |              |   |
| NORTHWEST                           |   |                              | Gold             | 9.4 g/t      | Surface samples from the northwest vein zone on the Hanna 9 claim<br>Assessment Report 14127  |
| 1985                                | N | Assay/analysis<br>Rock       |                  |              |   |
| NORTHWEST                           |   |                              | Gold             | 4.7 g/t      | Drilling on the northwest vein zone, on the Hanna 9 claim, yielded up to 2.7, 4.7 and 1.7 grams per tonne gold over 2.9, 0.6 and 2.4 metres in holes 85-4, 85-5 and 85-6, respectively<br>Assessment Report 14127   |
| 1985                                | N | Assay/analysis<br>Drill Core |                  |              |   |
| VEIN                                |   |                              | Gold             | 8.23 g/t     | A sample (16774) from a 1.0-metre-wide vein striking north 54 degrees and dipping steeply south, which was traced for 30 metres along strike<br>Assessment Report 7545  |
| 1979                                | N | Assay/analysis<br>Rock       |                  |              |   |