

MINFILE Number:		Name:		Status:	
Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments	
MAIN 2005	N Assay/analysis Drill Core	Lead Zinc Silver	0.24 % 1.69 % 54.3 g/t	Drill hole CA05-4 traced the mineralized zone, previous exposed in a trench, 40 metres to the southeast. Sample is over 0.7 metres of massive pyrrhotite. Assessment Report 28052	
MAIN 2003	N Assay/analysis Chip	Lead Zinc Silver Gold	6.2 % 6.2 % 263 g/t 0.5 g/t	A chip sample from trench TR-03-7 which exposed the Granite Creek zone over a width of 2 metres and a length of 10 metres along a 135-degree trend and 70 degrees northeast dip. Assessment Report 27337	
MAIN 2002	N Assay/analysis Chip	Zinc Lead Silver Gold	0.56 % 1.28 % 58.4 g/t 0.6 g/t	A chip sample (7806) from the Granite Creek zone over 0.7 metre Assessment Report 27203	
2 2002	N Assay/analysis Grab	Lead Zinc Silver	20.5 % 1.5 % 612 g/t	A sample (7845) of oxidized float from a historic trench located 150 metres east of the Waterfall zone Assessment Report 27203	
MAIN 1996	N Assay/analysis Rock	Lead Zinc Silver	2.95 % 9.90 % 108 g/t	A rock sample FR96-04 Assessment Report 24707	
MAIN 1980	N Assay/analysis Drill Core	Zinc Lead Silver	14.0 % 0.1 % 11.66 g/t	A 3.02 metre intersection (drillhole 80-2) of massive sulphides. Also contained 0.03 per cent tin. Assessment Report 9262	
MAIN 1979	N Assay/analysis Grab	Gold Silver Lead Zinc Tin	1.0 g/t 57 g/t 1.4 % 0.63 % 0.12 %	Grab sample across 3.02 metres. An assay quoted in Assessment Report 7912 was 1.0 gram per tonne gold. Assessment Report 7912.	