

|                        |           |              |     |                |         |
|------------------------|-----------|--------------|-----|----------------|---------|
| <b>MINFILE Number:</b> | 092HNE060 | <b>Name:</b> | TOE | <b>Status:</b> | Showing |
|------------------------|-----------|--------------|-----|----------------|---------|

| Ore Zone/<br>Year/Report On |   | Tonnage/<br>Category | Commodity | Grade     | Reference/<br>Comments                                  |
|-----------------------------|---|----------------------|-----------|-----------|---|
| FLOAT                       |   |                      | Copper    | 0.071 %   | a float sample (J488682) of basalt with epidote-pyrite  |
|                             |   | Assay/analysis       | Gold      | 0.139 g/t | veinlets  |
| 2017                        | N | Grab                 |           |           | Assessment Report 37096                                 |
| SAMPLE                      |   |                      | Gold      | 0.144 g/t | three grab samples (11876, 11880 and 11881) of          |
|                             |   | Assay/analysis       |           |           | rhyolite and chlorite-epidote altered basalt with       |
| 2000                        | N | Grab                 |           |           | disseminated pyrite, located approximately 800 metres   |
|                             |   |                      |           |           | west of the plotted location of the occurrence, assayed |
|                             |   |                      |           |           | 0.134, 0.144 and 0.113 gram per tonne gold,             |
|                             |   |                      |           |           | respectively  |
|                             |   |                      |           |           | Assessment Report 26605                                 |
| SAMPLE                      |   |                      | Gold      | 0.220 g/t | five grab samples (11871 through 11875) of of rhyolite  |
|                             |   | Assay/analysis       |           |           | and chlorite-epidote altered basalt with disseminated   |
| 2000                        | N | Grab                 |           |           | pyrite, located approximately 2.5 kilometres west of    |
|                             |   |                      |           |           | the plotted location of the occurrence, yielded from    |
|                             |   |                      |           |           | 0.108 to 0.220 gram per tonne gold                      |
|                             |   |                      |           |           | Assessment Report 26605                                 |