

<b>MINFILE Number:</b> 092HNE086	<b>Name:</b> TOM CAT (L.1517)	<b>Status:</b> Prospect
----------------------------------	-------------------------------	-------------------------

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
DRILLHOLE 2007 N	Assay/analysis Drill Core	Copper	0.54 %	A single drill hole (K07-03) confirmed the historic results intersecting a 41.1 metre (20.4 to 61.5 metres down-hole) mineralized section, including 0.54 per cent copper over 5.6 metres (20.4 to 26.0 metres down-hole). Assessment Report 29728
SAMPLE 2006 N	Assay/analysis Chip	Copper Silver	1.77 % 9.2 g/t	Chip sample (K-03), taken from a mineralized pod exposed 20 metres west of the trench. Assessment Report 28782
TRENCH 2006 N	Assay/analysis Chip	Copper Silver	3.68 % 9.8 g/t	A chip sample (K-02) over 2 metres of the face of a historic trench. Assessment Report 28782
LAKE 1997 N	Assay/analysis Grab	Copper Silver	0.728 % 14.3 g/t	A grab sample (28339) of angular sub-crop comprising calcareous volcanic sediment or limestone with limonite staining and pyrite, bornite, azurite and malachite mineralization located southwest of a small lake, approximately 400 metres northeast of the Tom Cat occurrence. The sample also yielded 0.093 per cent antimony. Assessment Report 25158
LAKE 1987 N	Assay/analysis Rock	Silver Copper	6.2 g/t 0.695 %	Two samples (6708 and 6707), taken west of a small lake and approximately 450 metres north of the Tom Cat occurrence, yielded 0.695 and 0.517 per cent copper with 3.1 and 6.2 grams per tonne silver, respectively. Assessment Report 17118
SAMPLE 1987 N	Assay/analysis Rock	Copper Silver	1.294 % 2.8 g/t	A sample (6849) from the Tom Cat occurrence area. Assessment Report 17118
LAKE 1985 N	Assay/analysis Rock	Copper Silver	1.277 % 3.4 g/t	Three rock samples (B-2069, B-2071 and 2249) from the area southwest of a small lake to the northeast of the occurrence yielded from 0.381 to 1.277 per cent copper and 0.7 to 3.4 grams per tonne silver. Assessment Report 14141
DRILLHOLE 1965 N	Assay/analysis Drill Core	Copper	0.3150 %	Average grade over 45.7 metres. Minister of Mines Annual Report 1965, page 157 (hole 1, 0 to 45.7 m).

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
TRENCH  1913      N	Assay/analysis Chip	Copper	1.6000 %	Chip sample taken over a length of 3.0 metres. Minister of Mines Annual Report 1913, page 223.