

MINFILE Number: 093K 043	Name: MT. SIDNEY WILLIAMS	Status: Prospect
---------------------------------	----------------------------------	-------------------------

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
CAMP		Gold	0.557 g/t	Samples from the Camp zone.
2012	N	Nickel	0.236 %	Assessment Report 33370
		Chromium	0.140 %	
2		Nickel	0.159 %	Stibnite zone
2011	N	Chromium	0.166 %	Assessment Report 32481
SOUTH		Nickel	0.190 %	RJS zone
2004	N	Chromium	0.168 %	Assessment Report 27605
NORTHEAST		Nickel	0.173 %	From the ORO/JNSQ zone.
1997	N	Chromium	0.118 %	Assessment Report 25278
SOUTH		Gold	0.72 g/t	From the RJS zone
1997	N	Chromium	0.108 %	Assessment Report 25278
		Nickel	0.152 %	
UPPER		Gold	1.01 g/t	Rock samples from the Upper zone.
1997	N	Nickel	0.176 %	Assessment Report 25278
		Chromium	0.109 %	
WEST		Nickel	0.197 %	West zone
1997	N	Chromium	0.114 %	Assessment Report 25278
2		Nickel	0.170 %	Stibnite zone
1997	N	Chromium	0.156 %	Assessment Report 25278
CAMP		Gold	2.42 g/t	From the Camp zone
1997	N	Nickel	0.231 %	Assessment Report 25278
		Chromium	0.107 %	
LOWER		Nickel	0.137 %	From the Lower zone.
1997	N	Chromium	0.062 %	Assessment Report 25278

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
MIDDLE D 1997 N	Assay/analysis Auger	Nickel Chromium	0.171 % 0.101 %	From the Middle zone. Assessment Report 25278
UPPER 1996 N	Assay/analysis Rock	Gold	2.53 g/t	A rock sample (96RMB-46) from the no. 1 trench of the Camp zone. Assessment Report 24906
WEST 1994 N	Assay/analysis Drill Core	Nickel	0.209 %	0.209 per cent nickel over 57.3 metres (22.0 to 79.3 metres down-hole) in hole BC94-4 on the West zone. Assessment Report 24906 and Property File 520942
NORTHEAST 1994 N	Assay/analysis Drill Core	Nickel	0.168 %	0.168 per cent nickel over 79.3 metres in hole MZ94-7 on the Oro zone. Assessment Report 24906 and Property File 520942
NORTHEAST 1994 N	Assay/analysis Drill Core	Nickel	0.184 %	0.184 per cent nickel 104.7 metres (2.1 to 106.8 metres down-hole) in hole MZ94-6 on the JNSQ zone. Assessment Report 24906 and Property File 520942
CAMP 1994 N	Assay/analysis Drill Core	Nickel	0.220 %	0.220 per cent nickel over 73.2 metres (3.1 to 76.3 metres down-hole), including 0.472 gram per tonne gold, 0.182 per cent nickel and 0.189 per cent chromium over 5.79 metres (65.58 to 71.37 metres down-hole) in hole CZ94-9 and 0.216 per cent nickel over 33.9 metres in hole CZ94-8, both on the Camp zone. Assessment Report 24906 and Property File 520942
CAMP 1994 N	Assay/analysis Drill Core	Nickel	0.202 %	Re-sampling, in 1997, of the 1994 drill hole CZ94-10 from the Camp zone yielded 0.151 per cent nickel over 74.11 metres (2.14 to 76.25 metres down-hole), while re-sampling and analysis of the 1994 drill hole CZ94-10, in 1998, from the Camp zone yielded a significant increase in nickel grades with using a finer grind (-150 mesh, in contrast to -100 mesh) and yielded an average of 0.202 per cent nickel over 74.11 metres. Assessment Report 25278 and Assessment Report 26062
CAMP 1991 N	Assay/analysis Chip	Gold	3.96 g/t	A 9.2-metre sample of listwanite from the Camp zone. Property File Rimfire - Mowat, U., 1992
2 1991 N	Assay/analysis Drill Core	Gold	3.07 g/t	Over 0.4 metre (51.8 to 52.2 metres down-hole) in hole 91-1 on the Stibnite zone. Assessment Report 21870
2 1991 N	Assay/analysis Chip	Gold	1.60 g/t	Over 0.69 metre, including 3.11 grams per tonne gold over 0.23 metre from the Stibnite zone. Property File Rimfire, 1991

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
2 1991	N Assay/analysis Drill Core	Nickel	0.173 %	Re-sampling of the core samples, in 1996, yielded 0.173 per cent nickel over 106.6 metres in hole 91-5 from the north east extension of the Stibnite zone. Property File 520942
UPPER 1991	N Assay/analysis Drill Core	Gold Nickel	4.91 g/t 0.175 %	4.91 and 0.78 grams per tonne gold over 0.5 and 13.9 metres (15.5 to 16.0 and 81.0 to 94.9 metres down-hole) in holes 91-3 and 91-4, respectively, on the Upper zone. Re-sampling of the core samples, in 1996, yielded values up to 0.175 per cent nickel over 52.1 metres in hole 91-3 and 0.161 per cent nickel over 36.4 metres in hole 91-4. Assessment Report 21870; Property File 520942
UPPER 1991	N Assay/analysis Chip	Gold	1.41 g/t	Two samples taken from listwanite showings on the Upper zone yielded 1.41 grams per tonne gold over 4.0 metres and 0.96 gram per tonne over 7.6 metres. Property File Rimfire - Mowat, U., 1992
UPPER 1990	N Assay/analysis Drill Core	Gold	1.50 g/t	1.50 and 5.16 grams per tonne gold over 3.0 and 0.4 metres (16.2 to 19.2 and 6.9 to 7.3 metres down-hole), respectively, in holes 90-5 and 90-6 on the Upper zone. Assessment Report 20541
CAMP 1990	N Assay/analysis Drill Core	Gold	3.93 g/t	Drilling yielded intercepts including 3.93 and 5.03 grams per tonne gold over 9.2 and 0.3 metres (0 to 9.2 and 23.2 to 23.5 metres down-hole) from a fault zone and felsite dike, respectively, in hole 90-3 on the Camp zone and 5.16 grams per tonne gold over 2.2 metres (3.7 to 5.8 metres down-hole) in hole 90-4 also on the Camp zone. Assessment Report 20541
CAMP 1990	N Assay/analysis Drill Core	Nickel	0.152 %	Over 31.1 metres in hole 90-1 from the west extension of the Camp zone. Property File 520942
2 1988	N Assay/analysis Chip	Gold	2.15 g/t	Two 2.0 metre chip samples (60622 and 60623) from the Stibnite zone yielded 1.92 and 2.15 grams per tonne gold, respectively. Assessment Report 18089
UPPER 1988	N Assay/analysis Chip	Gold	44.1 g/t	Five samples (C11351 to C11355) over 1.0 metres each from a fault gouge zone exposed in trench no. 1 on the Upper zone yielded from 14.7 to 44.1 grams per tonne gold. Assessment Report 18089
CAMP 1988	N Assay/analysis Chip	Gold	1.14 g/t	Two 1.0 metre chip samples (60563 and 60564) from the Camp zone yielded 1.14 and 1.01 grams per tonne gold, respectively. Assessment Report 18089
SOUTH 1988	N Assay/analysis Rock	Gold	1.07 g/t	A 3 metre chip sample (11193) from the RJS zone yielded 1.07 grams per tonne gold. Assessment Report 18089

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
SOUTH			Gold	0.390 g/t	Three 1.0 metre chip samples (60506 to 60508) of listwanite from the RJS zone yielded from 0.105 to 0.390 gram per tonne gold. Assessment Report 17173
1987	N	Assay/analysis Grab			
UPPER			Gold	1.43 g/t	Grab samples (7278 and 6594) from the Upper listwanite zone. Assessment Report 17173
1987	N	Assay/analysis Grab			
2			Gold	3.26 g/t	A rock sample (8912) and a 1.0 metre chip sample (60510) from the Stibnite zone yielded 3.78 and 3.26 grams per tonne gold, respectively. Assessment Report 17173
1987	N	Assay/analysis Chip			
CAMP			Gold	3.56 g/t	A sample (6801) of quartz-listwanite breccia with magnetite veins from the Camp zone. Assessment Report 17173
1987	N	Assay/analysis Grab			