

MINFILE Number: 093N 266	Name: RED	Status: Prospect
---------------------------------	------------------	-------------------------

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN 2006	N Assay/analysis Drill Core	Copper Silver Gold	0.31 % 2.5 g/t 0.08 g/t	diamond drilling on the Red zone yielded intercepts of up to 0.31 per cent copper, 0.08 gram per tonne gold and 2.5 grams per tonne silver over 167.0 metres, including 0.59 per cent copper, 0.14 gram per tonne gold and 4.2 grams per tonne silver over 33.0 metres in hole RZ06-04 Assessment Report 29011
MAIN 2006	N Assay/analysis Rock	Molybdenum Copper Silver Gold	0.045 % 1 % 73.4 g/t 1.02 g/t	rock samples (407705) from the Red zone Assessment Report 29011
NORTH 2006	N Assay/analysis Rock	Copper Gold	0.500 % 0.112 g/t	rock sample 407719 taken from the ridge to the north Assessment Report 29011
NORTHEAST 2006	N Assay/analysis Rock	Copper Gold	0.519 % 0.525 g/t	rock sample 407727 taken from the ridge to the north east Assessment Report 29011
SAMPLE 2006	N Assay/analysis Rock	Copper Gold	0.207 % 0.111 g/t	rock sample 407509 taken from and the north end of a ridge approximately 2 kilometres to the north of the Red zone Assessment Report 29011
NORTHWEST 1991	N Assay/analysis Rock	Copper Silver Gold	0.15 % 3.5 g/t 0.30 g/t	a sample (TR-91-R31) from the gully zone to the north-north west of the main Red zone Assessment Report 22372
NORTHWEST 1990	N Assay/analysis Grab	Copper Silver Gold	0.60 % 6.4 g/t 0.34 g/t	a sample (TR-90-R53) of diorite with chlorite-epidote-carbonate-pyrite-chalcopyrite veinlets and disseminations, from a gully located north-north west of the main Red zone Assessment Report 22372
ROAD 1990	N Assay/analysis Drill Core	Copper Gold	0.147 % 0.07 g/t	diamond drilling along the Red Road zone yielded intercepts of 0.147 per cent copper and 0.07 gram per tonne gold over 166.4 metres, including 0.378 per cent copper and 0.17 gram per tonne gold over 25.2 metres in hole 90-76 Assessment Report 22372

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
ROAD			Copper	0.55 %	grab samples (TR-90-R4 through -R19) of mineralized diorite, taken from the access road approximately 700 metres to the east- south east of the main Red zone, yielded values of up to 0.55 per cent copper, 0.10 per cent lead, 5.0 grams per tonne silver and 0.26 gram per tonne gold Assessment Report 22372
1990	N	Assay/analysis	Silver	5.0 g/t	
		Grab	Gold	0.26 g/t	
			Lead	0.10 %	
ROAD			Gold	0.12 g/t	chip sampling of the road zone yielded 0.12 gram per tonne gold and 0.17 per cent copper over 119.4 metres Assessment Report 22372
1990	N	Assay/analysis	Copper	0.17 %	
		Chip			
NORTH			Copper	2.92 %	a 0.3 metre chip sample (TR-90-D87) of an epidote altered monzonite(?) with disseminated to massive pyrite and chalcopyrite, located on a ridge approximately 600 metres north of the main Red zone Assessment Report 22372
1990	N	Assay/analysis	Silver	14.4 g/t	
		Grab	Gold	0.40 g/t	
NORTHEAST			Copper	0.45 %	four grab samples (TR-90-D27, -D29, -D30 and I07) of diorite hosting disseminated to massive pyrite, chalcopyrite and magnetite, taken approximately 500 metres to the north east of the main Red zone, yielded from 0.07 to 0.45 per cent copper, 1.9 to 4.9 grams per tonne silver and 0.24 to 0.45 gram per tonne gold Assessment Report 22372
1990	N	Assay/analysis	Silver	4.9 g/t	
		Grab	Gold	0.45 g/t	
MAIN			Molybdenum	0.042 %	four grab samples (TR-90 -D22 through -D25) from the main Red zone yielded values from 0.014 to 0.042 per cent molybdenum, 0.50 to 1.68 per cent copper, 6.7 to 11.8 grams per tonne silver and 0.17 to 0.40 gram per tonne gold Assessment Report 22372
1990	N	Assay/analysis	Copper	1.68 %	
		Grab	Silver	11.8 g/t	
			Gold	0.40 g/t	
SOUTHEAST			Copper	2.26 %	a grab sample (TG-24-R) of sheared diorite with porphyry-copper mineralization, taken approximately half-way between the Red zone and the Takla-Rainbow (MINFILE 093N 082) occurrence to the south east Assessment Report 16759
1987	N	Assay/analysis	Silver	14.9 g/t	
		Grab	Gold	0.495 g/t	