

MINFILE Number:	092ISE022	Name:	DIANE	Status:	Prospect
------------------------	-----------	--------------	-------	----------------	----------

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN			Copper	3.63 %	Two samples (B8295252 and B8295253) from the Diane (Original) zone yielded 1.65 and 3.63 per cent copper with 0.460 and 0.248 gram per tonne gold, respectively. Besserer, D. (2021-05-21): NI 43-101 Technical Report for the Comstock Property, Nicola Valley, South-Central Interior of British Columbia
2020	N	Assay/analysis Rock	Gold	0.248 g/t	
MAIN			Gold	1.865 g/t	Three grab samples (no. 6, 7 and 8) yielded from 0.392 to 1.865 grams per tonne gold and 0.107 to 0.759 per cent copper. Assessment Report 36197
2016	N	Assay/analysis Grab	Copper	0.759 %	
LOWELL			Copper	0.892 %	A grab sample (COM 4) from Lowell zone area. Assessment Report 34963
2014	N	Assay/analysis Grab	Gold	0.47 g/t	
LOWELL			Gold	1.063 g/t	Four continuous chip samples from the Lowell trench yielded 1.06 grams per tonne gold and 0.31 per cent copper over 3.38 metres, while grab samples yielded up to 19.5 grams per tonne gold and 8.87 per cent copper. Assessment Report 30403
2008	N	Assay/analysis Chip	Copper	0.31 %	
MAIN			Gold	3.41 g/t	Two chip samples (0162027 and 0159519) assayed 3.41 and 2.16 grams per tonne gold with 0.12 and 0.20 per cent copper over 1.28 and 1.5 metres, respectively, while two other chip samples (0162030 and 0159508) yielded 1.04 and 1.31 per cent copper, respectively. Assessment Report 30403
2008	N	Assay/analysis Chip	Copper	0.12 %	
NORTH			Copper	0.68 %	A chip sample (0159525) yielded 0.68 per cent copper over 1.73 metres, while a grab sample (0159524) yielded 2.48 per cent copper. Assessment Report 30403
2008	N	Assay/analysis Chip			
MAIN			Gold	0.86 g/t	Six chip samples (C504455 through C504460) from the main trenched zone yielded an average of 0.86 grams per tonne gold, 0.300 per cent copper and 3.0 grams per tonne silver, including 2.69 grams per tonne gold, 4.8 grams per tonne silver and 0.145 per cent copper over 6 metres from trench 6 and 1.10 grams per tonne gold, 5.0 grams per tonne silver and 0.551 per cent copper over 5 metres from trench 5. Assessment Report 28719
2006	N	Assay/analysis Chip	Copper	0.300 %	
			Silver	3.0 g/t	
MAIN			Silver	16.4300 g/t	Across 1.38 metres (58.97 to 60.35 metres down-hole) in hole STR-88-1. Assessment Report 17721.
1988	N	Assay/analysis Drill Core	Gold	15.5600 g/t	
			Copper	0.269 %	

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
LOWELL			Copper	0.2000 %	Sampling of the Lowell zone yielded up to 0.20 per cent copper over 7 metres and 0.13 per cent copper over 4 metres in trench T86-13.
1986	N	Assay/analysis Chip			Assessment Report 16058.
SOUTH			Copper	0.45 %	Sampling of trench T86-12 on the South zone over 2 metres.
1986	N	Assay/analysis Chip			Assessment Report 16058
MAIN			Gold	5.7 g/t	Over 2 metres in trench T86-7 and from 5.6 to 9.7 grams per tonne gold over 1 metre in trenches T86-5, -8 and -9, while a rock sample (STR86-38R), located approximately 100 metres northeast of the Original zone, yielded 1.23 grams per tonne gold indicating a possible sub-parallel zone of mineralization.
1986	N	Assay/analysis Chip			Assessment Report 16058
ZINC			Zinc	1.6000 %	Sample over 3 metres, while a rock sample (STR-40R) of a limonitic, grey-pink rhyolitic tuff assayed 5.4 per cent zinc.
1986	N	Assay/analysis Chip			Assessment Report 16058.
NORTH			Gold	19.0 g/t	Chip samples (JER 18-8 and 18-10) from the North zone yielded up to 19.0 grams per tonne gold, 46.0 grams per tonne silver and 2.06 per cent copper, while sampling of trenches on the zone yielded up to 0.447 per cent copper with 0.26 gram per tonne gold over 5 metres in trench U and 0.835 per cent copper and 0.12 gram per tonne gold over 4 metres in trench T.
1984	N	Assay/analysis Chip	Silver Copper	46.0 g/t 2.06 %	Assessment Report 12799 and 13114
ZINC			Copper	1.06 %	Assessment Report 12860
1984	N	Assay/analysis Grab			
S1			Gold	0.24 g/t	Two grab samples (STG1 and 4) from the STG zone.
1984	N	Assay/analysis Grab	Silver Copper	133.0 g/t 1.44 %	Assessment Report 12799
SOUTH			Gold	5.8 g/t	Grab samples (JER 1157 and 1154) from the south zone, later that year, another sample assayed 5.29 per cent copper across 1.0 metre.
1984	N	Assay/analysis Grab	Silver Copper	11.6 g/t 1.61 %	Assessment report 12799 and Assessment Report 12860
L			Copper	0.131 %	Samples the LA zone.
1984	N	Assay/analysis Grab	Silver Gold	14.2 g/t 3.16 g/t	Assessment Report 12860
MAIN			Gold	12.2 g/t	A grab sample JER 1098.
1984	N	Assay/analysis Grab	Silver Copper	34.2 g/t 27.19 %	Assessment report 12799

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN		Assay/analysis Chip	Gold	3.9 g/t	Average of chip sampling over 3.9 metres.
1984	N		Silver	4.3 g/t	Assessment report 12799