

MINFILE Number:		092ISE022	Name:		DIANE	Status:		Prospect
Ore Zone/ Year/Report On		Tonnage/ Category	Commodity		Grade	Reference/ Comments		
MAIN			Copper	3.63 %		Two samples (B8295252 and B8295253) from the Diane (Original) zone yielded 1.65 and 3.63 per cent copper with 0.460 and 0.248 gram per tonne gold, respectively.		
2020	N	Assay/analysis Rock	Gold	0.248 g/t		Besserer, D. (2021-05-21): NI 43-101 Technical Report for the Comstock Property, Nicola Valley, South-Central Interior of British Columbia		
MAIN			Gold	1.865 g/t		Three grab samples (no. 6, 7 and 8) yielded from 0.392 to 1.865 grams per tonne gold and 0.107 to 0.759 per cent copper.		
2016	N	Assay/analysis Grab	Copper	0.759 %		Assessment Report 36197		
LOWELL			Copper	0.892 %		A grab sample (COM 4) from Lowell zone area.		
2014	N	Assay/analysis Grab	Gold	0.47 g/t		Assessment Report 34963		
LOWELL			Gold	1.063 g/t		Four continuous chip samples from the Lowell trench yielded 1.06 grams per tonne gold and 0.31 per cent copper over 3.38 metres, while grab samples yielded up to 19.5 grams per tonne gold and 8.87 per cent copper.		
2008	N	Assay/analysis Chip	Copper	0.31 %		Assessment Report 30403		
MAIN			Gold	3.41 g/t		Two chip samples (0162027 and 0159519) assayed 3.41 and 2.16 grams per tonne gold with 0.12 and 0.20 per cent copper over 1.28 and 1.5 metres, respectively, while two other chip samples (0162030 and 0159508) yielded 1.04 and 1.31 per cent copper, respectively.		
2008	N	Assay/analysis Chip	Copper	0.12 %		Assessment Report 30403		
NORTH			Copper	0.68 %		A chip sample (0159525) yielded 0.68 per cent copper over 1.73 metres, while a grab sample (0159524) yielded 2.48 per cent copper.		
2008	N	Assay/analysis Chip				Assessment Report 30403		
MAIN			Gold	0.86 g/t		Six chip samples (C504455 through C504460) from the main trenched zone yielded an average of 0.86 grams per tonne gold, 0.300 per cent copper and 3.0 grams per tonne silver, including 2.69 grams per tonne gold, 4.8 grams per tonne silver and 0.145 per cent copper over 6 metres from trench 6 and 1.10 grams per tonne gold, 5.0 grams per tonne silver and 0.551 per cent copper over 5 metres from trench 5.		
2006	N	Assay/analysis Chip	Copper	0.300 %		Assessment Report 28719		
			Silver	3.0 g/t				
MAIN			Gold			Across 1.38 metres (58.97 to 60.35 metres down-hole) in hole STR-88-1.		
1988	N	Assay/analysis Drill Core	Copper	16.4300 g/t		Assessment Report 17721.		
			Silver	15.5600 g/t				
			Gold					
			Copper	0.269 %				

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
LOWELL 1986	N Assay/analysis Chip	Copper	0.2000 %	Sampling of the Lowell zone yielded up to 0.20 per cent copper over 7 metres and 0.13 per cent copper over 4 metres in trench T86-13. Assessment Report 16058.
SOUTH 1986	N Assay/analysis Chip	Copper	0.45 %	Sampling of trench T86-12 on the South zone over 2 metres. Assessment Report 16058
MAIN 1986	N Assay/analysis Chip	Gold	5.7 g/t	Over 2 metres in trench T86-7 and from 5.6 to 9.7 grams per tonne gold over 1 metre in trenches T86-5, -8 and -9, while a rock sample (STR86-38R), located approximately 100 metres northeast of the Original zone, yielded 1.23 grams per tonne gold indicating a possible sub-parallel zone of mineralization. Assessment Report 16058
ZINC 1986	N Assay/analysis Chip	Zinc	1.6000 %	Sample over 3 metres, while a rock sample (STR-40R) of a limonitic, grey-pink rhyolitic tuff assayed 5.4 per cent zinc. Assessment Report 16058.
NORTH 1984	N Assay/analysis Chip	Gold Silver Copper	19.0 g/t 46.0 g/t 2.06 %	Chip samples (JER 18-8 and 18-10) from the North zone yielded up to 19.0 grams per tonne gold, 46.0 grams per tonne silver and 2.06 per cent copper, while sampling of trenches on the zone yielded up to 0.447 per cent copper with 0.26 gram per tonne gold over 5 metres in trench U and 0.835 per cent copper and 0.12 gram per tonne gold over 4 metres in trench T. Assessment Report 12799 and 13114
ZINC 1984	N Assay/analysis Grab	Copper	1.06 %	Assessment Report 12860
S1 1984	N Assay/analysis Grab	Gold Silver Copper	0.24 g/t 133.0 g/t 1.44 %	Two grab samples (STG1 and 4) from the STG zone. Assessment Report 12799
SOUTH 1984	N Assay/analysis Grab	Gold Silver Copper	5.8 g/t 11.6 g/t 1.61 %	Grab samples (JER 1157 and 1154) from the south zone, later that year, another sample assayed 5.29 per cent copper across 1.0 metre. Assessment report 12799 and Assessment Report 12860
L 1984	N Assay/analysis Grab	Copper Silver Gold	0.131 % 14.2 g/t 3.16 g/t	Samples the LA zone. Assessment Report 12860
MAIN 1984	N Assay/analysis Grab	Gold Silver Copper	12.2 g/t 34.2 g/t 27.19 %	A grab sample JER 1098. Assessment report 12799

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
MAIN 1984	Assay/analysis N	Gold Silver Chip	3.9 g/t 4.3 g/t	Average of chip sampling over 3.9 metres. Assessment report 12799