

| | | | | | |
|------------------------|-----------|--------------|---------|----------------|--------------------|
| MINFILE Number: | 092ISE048 | Name: | GUICHON | Status: | Developed Prospect |
|------------------------|-----------|--------------|---------|----------------|--------------------|

| Ore Zone/ Year/Report On | | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|-----------------------------|---|------------------------------|------------------|-----------------------|---|
| SAMPLE | | | Gold | 0.43 g/t | a grab sample (7627) from a shear zone hosting quartz veinlets, located on the Camperdown crown grant Assessment Report 35198 |
| 2014 | N | Assay/analysis Grab | | | |
| DRILLHOLE | | | Gold | 1.50 g/t | over 1.5 metres in hole P.H.-Q-7 located on strike between the No. 1 and Fence veins |
| 1980 | N | Assay/analysis Drill Core | Silver | 6.6 g/t | Assessment Report 8074. |
| DRILLHOLE | | | Gold | 2.06 g/t | over 1.5 metres in hole P.H.-Q-6 which tested the fault extension to the east of the no. 2 vein |
| 1980 | N | Assay/analysis Drill Core | Silver | 7.5 g/t | Assessment Report 8074 |
| DRILLHOLE | | | Gold | 0.96 g/t | in hole P.H.-Q-3 which tested the mineralized dike and possible related veins on the Ingersoll crown grant |
| 1980 | N | Assay/analysis Drill Core | Silver Copper | 4.1 g/t 0.35 % | Assessment Report 8074 |
| DRILLHOLE | | | Molybdenum | 0.055 % | drilling on geophysical anomalies on the Ensign and Ingersoll claims yielded 0.055 per cent molybdenite over 30 metres, including 0.099 per cent molybdenite over 6 metres in hole R-1, 0.059 per cent molybdenite over 18.9 metres in hole R-2,0.061 per cent molybdenite over 27 metres in hole no. 4 and 2.5 grams per tonne gold, 23.1 grams per tonne silver and 0.44 per cent copper over 12 metres and 0.051 per cent molybdenite over 12 metres in hole no. 3 |
| 1966 | N | Assay/analysis Drill Core | | | Property File - 810697 |
| TUNNEL | | | Gold | 10.9 g/t | sampling of the no. 3, 4 and 6 tunnels yielded 10.9, 9.6 and 3.8 grams per tonne gold, 61.6, 49.6 and 27.4 grams per tonne silver with trace, 0.25 and 0.20 per cent copper over 0.40, 0.45 and 0.33 metre, respectively |
| 1965 | N | Assay/analysis Chip | Silver | 61.6 g/t | Property File - 810696 |
| VEIN | | | Copper | 0.85 % | from the Camperdown (No. 6 or 7?) vein |
| 1965 | N | Assay/analysis Grab | Silver Gold | 99.2 g/t 27.4 g/t | Property File - 810696 |
| VEIN | | | Copper | 0.50 % | over 0.3 metre from an open cut on the Ensign claim |
| 1965 | N | Assay/analysis Chip | Gold Silver | 13.0 g/t 109.4 g/t | (Property File - 810696) |

| Ore Zone/ Year/Report On | | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|-----------------------------|---|----------------------|-----------|-----------|---|
| NO. 2 VEIN | | | Gold | 12.3 g/t | a drill hole (no. 2) located on the No. 2 vein yielded intercepts of 12.3 and 9.2 grams per tonne gold, 44.5 and 12.0 grams per tonne silver with 0.35 and 0.17 per cent copper over 1.5 and 0.6 metres, respectively Assessment Report 8074 |
| 1961 | N | Assay/analysis | Silver | 44.5 g/t | |
| | | Drill Core | Copper | 0.35 % | |
| NO. 2 VEIN | | | Gold | 39.0 g/t | over 0.3 metre from an adit on the No. 2 vein Property File - 673633 |
| 1949 | N | Assay/analysis | Silver | 123.1 g/t | |
| | | Chip | | | |
| VEIN | | | Gold | 14.4 g/t | from an open cut on the No. 4 vein Property File - 673633 |
| | | Assay/analysis | Silver | 88.9 g/t | |
| 1949 | N | Grab | Copper | 0.15 % | |
| VEIN | | | Gold | 31.1 g/t | over 0.1 metre at 46.5 metres from an adit portal on the No. 4 or 5 vein Property File - 673633 |
| | | Assay/analysis | Silver | 160.7 g/t | |
| 1949 | N | Grab | | | |
| VEIN | | | Gold | 13.0 g/t | over 0.3 metre from a pit exposing the No. 7 vein Property File - 673633 |
| | | Assay/analysis | Silver | 44.5 g/t | |
| 1949 | N | Chip | Copper | 0.94 % | |
| 8 | | | Gold | 16.4 g/t | from a 3 metres long and 0.2 metre wide channel sample on the No. 8 or 9 vein Property File - 673633 |
| | | Assay/analysis | Silver | 13.7 g/t | |
| 1949 | N | Chip | Copper | 0.43 % | |
| NO. 1 VEIN | | | Gold | 1.7 g/t | over 0.50 metre from an adit on the No. 1 vein Property File - 673633 |
| | | Assay/analysis | Silver | 17.1 g/t | |
| 1949 | N | Chip | Copper | 0.47 % | |
| DRILLHOLE | | | Copper | 0.15 % | A pre-1947, drill hole (no. 14) located on the Ingersoll claim to test the no. 5 vein, sample over 2.53 metres of drill core sludge Assessment Report 8074 |
| | | Assay/analysis | Silver | 137.0 g/t | |
| 1947 | N | Drill Core | | | |
| VEIN | | | Gold | 20.3 g/t | a select sample (379-B) over 0.1 metre from the no. 5 vein Property File - 10508 |
| | | Assay/analysis | Copper | 3 % | |
| 1946 | N | Grab | | | |
| VEIN | | | Gold | 12.9 g/t | a representative 0.3 metre sample (378-B) from the no. 6 vein Property File - 10508 |
| | | Assay/analysis | | | |
| 1946 | N | Chip | | | |
| VEIN | | | Gold | 16.8 g/t | a sample across 0.45 metres of the Fence vein from a shaft Assessment Report 8074 |
| | | Assay/analysis | Silver | 10.6 g/t | |
| 1922 | N | Chip | Copper | 2.93 % | |

| Ore Zone/ Year/Report On | | Tonnage/ Category | Commodity | Grade | Reference/ Comments |
|-----------------------------|---|---------------------------|-----------|----------|---|
| NO. 1 VEIN | | Assay/analysis Grab | Gold | 23.9 g/t | two samples from the No. 1 vein are reported to have yielded 23.9 and 10.9 grams per tonne gold with 23.9 and 37.6 grams per tonne silver, respectively Assessment Report 8074 |
| | | | Silver | 37.6 g/t | |
| 1922 | N | | | | |
| NO. 2 VEIN | | Assay/analysis Channel | Gold | 14.0 g/t | sampling of the No. 2 vein from outcrop and tunnels yielded from 1.4 to 21.9 grams per tonne gold with 13.7 to 95.8 grams per tonne silver, while a 0.45 metre wide and 6.0 metre long channel sample yielded 14.0 grams per tonne gold and 69.4 grams per tonne silver Assessment Report 8074 |
| | | | Silver | 69.4 g/t | |
| 1922 | N | | | | |