

MINFILE Number:	092ISE053	Name:	CHARMER	Status:	Prospect
------------------------	-----------	--------------	---------	----------------	----------

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
NO. 2			Copper	3.10 %	Three samples (B829261, B829262 and B829266) from the Island adit area yielded from 1.90 to 3.10 per cent copper and 5.2 to 83 grams per tonne silver. Besserer, D. (2021-05-21): NI 43-101 Technical Report for the Comstock Property, Nicola Valley, South-Central Interior of British Columbia
2020	N	Assay/analysis Rock	Silver	83 g/t	
NO. 3			Copper	0.76 %	A grab sample (no. 2) from the No. 3 (Victoria) shaft. Assessment Report 35683
			Silver	19.5 g/t	
2015	N	Assay/analysis Grab	Gold	7.48 g/t	
NO. 2			Copper	2.42 %	A sample (no. 7) from the No. 2 (Island) shaft vein. Assessment Report 35683
			Gold	0.141 g/t	
2015	N	Assay/analysis Grab			
NO. 3			Gold	4 g/t	A chip sample from the area of the No. 3 (Victoria) shaft over 1.2 metres. Sookochoff, L. (2019-08-14): Technical Report on the Comstock Property
			Silver	3 g/t	
2008	N	Assay/analysis Chip	Copper	2.9 %	
SAMPLE			Copper	0.236 %	Average of three rock samples. Sookochoff, L. (2019-08-14): Technical Report on the Comstock Property
2006	N	Assay/analysis Rock			
NO. 2			Copper	0.415 %	A chip sample (C504461) from the No. 2 shaft. Assessment Report 28719
2006	N	Assay/analysis Chip			
NO. 3			Copper	0.103 %	A drill hole (IM-89-4) on the No. 3 shaft, over 19.5 metres, including 0.470 per cent copper, 23.2 grams per tonne silver and 0.76 gram per tonne gold over 1.5 metres. Assessment Report 18888
1989	N	Assay/analysis Drill Core			
NO. 3			Gold	56.71 g/t	A grab sample from the No. 3 (Victoria) shaft. Assessment Report 17721
			Silver	29.0 g/t	
1988	N	Assay/analysis Grab			
NO. 2			Gold	2.35 g/t	A random dump sample (IM-1) from the No. 2 shaft. Assessment Report 16817
			Copper	1.8 %	
1987	N	Assay/analysis Grab			

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
NO. 3			Gold	10.1 g/t	A chip sample (IM-22) from the shaft No. 3 over 1.0 metre, while a chip sample (IM-24) from a nearby pit yielded 9.8 grams per tonne gold and 1.39 per cent copper over 1 metre Assessment Report 16817
1987	N	Assay/analysis Chip	Copper	0.66 %	
DUMP			Gold	2.3500 g/t	Random dump sample at shaft 2. Assessment Report 16817.
1987		Assay/analysis Grab	Copper	1.8000 %	
NO. 1			Gold	0.64 g/t	A sample (IM-8) from the No. 1 shaft. Assessment Report 16817
1987	N	Assay/analysis Grab			
TRENCH			Silver	341.8 g/t	A trench (E), located several hundred metres northeast of the No. 1 shaft, exposed a 10 centimetre wide quartz vein mineralized with chalcopyrite and pyrite exhibiting malachite and azurite staining. A rock chip sample (IM-11) of vein material from the trench assayed 341.8 grams per tonne silver, 0.692 per cent copper, 0.131 per cent lead and 0.118 per cent zinc, while a three metre chip sample (IM-10) of silicified wall rock yielded 72.1 grams per tonne silver. Assessment Report 16817
			Copper	0.692 %	
			Lead	0.131 %	
			Zinc	0.118 %	
1987	N	Assay/analysis Chip			
SOUTHEAST			Copper	0.299 %	A sample (STR-86-31R), taken approximately 1 kilometres southeast of the No. 1 shaft. Assessment Report 16058
1986	N	Assay/analysis Grab			
NO. 3			Copper	14.00 %	A sample (STR-86-52R) from a 5-centimetre wide mineralized quartz vein from the No. 3 shaft. Assessment Report 16058
			Silver	25.0 g/t	
			Gold	4.1 g/t	
1986	N	Assay/analysis Grab			
TRENCH			Gold	0.9 g/t	sampling of trenches exposing quartz-hematite-chalcopyrite veins in a lithic lapilli tuff. Assessment Report 12799
			Copper	0.43 %	
1984	N	Assay/analysis Grab			
NO. 2			Copper	0.253 %	A sample from trench A, located near shaft No. 2. Assessment Report 12860
			Gold	7.00 g/t	
1984	N	Assay/analysis Grab			
NO. 1			Silver	64.5 g/t	Sampling of trench D, located northeast of the No. 1 shaft, over 6.0 metres. Assessment Report 12860
1984	N	Assay/analysis Chip			
NO. 3			Copper	0.250 %	Sampling of trench M, located by the No. 3 shaft. Assessment Report 12860
			Gold	3.96 g/t	
1984	N	Assay/analysis Grab			

Ore Zone/ Year/Report On		Tonnage/ Category	Commodity	Grade	Reference/ Comments
SAMPLE	1981	N	Assay/analysis Grab	Copper	A sample (SM-58) from a barite vein with malachite staining from the area of the Charmer occurrence. Assessment Report 10114
				Zinc	
				Lead	
SOUTHEAST	1976	N	Assay/analysis Grab	Copper	Samples from a historic shaft dump, located approximately 1 kilometres southeast of the No. 1 shaft. Assessment Report 6248
TRENCH	1976	N	Assay/analysis Grab	Copper	A sample from a historic trench located on the Charmer occurrence area. Assessment Report 6248