

<b>MINFILE Number:</b> 093A 048	<b>Name:</b> LO	<b>Status:</b> Prospect
---------------------------------	-----------------	-------------------------

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
PORPHYRY 2012 N	Assay/analysis Drill Core	Copper	0.1 %	drilling on the Viewlands zone, approximately 6.5 kilometres to the south west, yielded two intervals assaying greater than 0.1 per cent copper over 2 metres Assessment Report 33607
DRILLHOLE 2008 N	Assay/analysis Drill Core	Gold Copper	2.49 g/t 0.11 %	over 2.64 metres in hole HE8-01 Assessment Report 31011
DRILLHOLE 2008 N	Assay/analysis Drill Core	Gold	0.39 g/t	over 33.75 metres, including 15.66 grams per tonne gold over 0.45 metre in hole HE8-02 Assessment Report 31011
DRILLHOLE 2008 N	Assay/analysis Drill Core	Gold Copper	9.47 g/t 0.38 %	over 0.45 metre in hole HE8-03 Assessment Report 31011
DRILLHOLE 2008 N	Assay/analysis Drill Core	Gold Copper Cobalt	12.6 g/t 0.18 % 0.246 %	1.26 grams per tonne gold over 8.53 metres, including 12.6 grams per tonne gold with 0.18 per cent copper over 0.45 metre in hole HE8-04. Anomalous cobalt values, up to 0.246 per cent over 0.45 metres, were also encountered associated with stratabound sulphides. Assessment Report 31011
SOUTHWEST 2008 N	Assay/analysis Drill Core	Gold	2.73 g/t	A lone drill hole (HE8-06) on the south western zone assayed 2.73 grams per tonne gold over 1.75 metres Assessment Report 31011
TRENCH 2006 N	Assay/analysis Chip	Gold	13.22 g/t	sampling of trenches over 5 metres Assessment Report 31011
SOUTHWEST 2006 N	Assay/analysis Chip	Gold	3.82 g/t	Other trench samples from the south western zone over 4 metres (TR06-12) and 1.68 grams per tonne gold over 6 metres Assessment Report 34239
WEST 2004 N	Assay/analysis Rock	Gold Silver Copper	0.55 g/t 9.7 g/t 1 %	a rock sample (VH-1) from a malachite stained shear with quartz-calcite, located a few hundred metres west of the main trench Assessment Report 27514

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
DRILLHOLE 1995 N	Assay/analysis Drill Core	Gold	9.51 g/t	over 1.2 metres in hole 95-1 Assessment Report 24052
DRILLHOLE 1995 N	Assay/analysis Drill Core	Gold	5.64 g/t	over 0.6 metre in holes 95-2 Assessment Report 24052
DRILLHOLE 1995 N	Assay/analysis Drill Core	Gold	1.85 g/t	over 14.2 metres, including 7.11 grams per tonne gold over 1.9 metres in hole 95-3 Assessment Report 24052
DRILLHOLE 1995 N	Assay/analysis Drill Core	Gold	21.24 g/t	over 0.5 metre in hole 95-5 Assessment Report 24052
DRILLHOLE 1995 N	Assay/analysis Drill Core	Copper Gold	0.092 % 0.1 g/t	Porphyry copper mineralization was intersected in drill hole 95-4, with values up to 0.213 per cent copper over 0.6 metre with an average of 0.092 per cent copper and 0.1 gram per tonne gold over 10.6 metres Assessment Report 24052
SOUTHWEST 1993 N	Assay/analysis Grab	Gold Silver Copper	19.70 g/t 20.0 g/t 0.343 %	sampling (HJR-49) of trenches, located approximately 450 metres south west of main trench Assessment Report 22898
TRENCH 1992 N	Assay/analysis Grab	Gold Silver Copper	4.98 g/t 9.3 g/t 0.515 %	grab sample (HJR-1) from the main trench Assessment Report 22587
TRENCH 1991 N	Assay/analysis Rock	Gold Silver Copper	65.0 g/t 10.3 g/t 0.1 %	sampling of the main trench Property File - D.G. Bailey [1991-09-01]: Geological Evaluation of the Hen Claims
SAMPLE 1989 N	Assay/analysis Rock	Gold	5.00 g/t	Assessment Report 18941
SAMPLE 1986 N	Assay/analysis Grab	Gold Silver Cobalt Copper Molybdenum	64.64 g/t 8.0 g/t 0.170 % 0.127 % 0.044 %	a select sample (HG-54), while six other samples yielded from 1.21 to 37.00 grams per tonne gold with anomalous molybdenum values up to 0.044 per cent Assessment Report 15231
SAMPLE 1980 N	Assay/analysis Grab	Gold	19.63 g/t	specimen samples Assessment Report 9122

Ore Zone/ Year/Report On	Tonnage/ Category	Commodity	Grade	Reference/ Comments
TRENCH 1980	N Assay/analysis Chip	Gold	0.29 g/t	chip sampling of the former 1965 trench No. 1 over 74 metres, including 0.74 gram per tonne gold and 0.170 per cent copper over 8 metres (sample 1992), 0.78 gram per tonne gold over 10 metres (sample 1985) and 0.21 gram per tonne gold with 0.250 per cent copper over 2 metres (sample 1988) Assessment Report 9122
TRENCH 1979	N Assay/analysis Grab	Gold Silver	11.56 g/t 206.2 g/t	three select samples from the 1965 No. 1 trench Assessment Report 15231
TRENCH 1969	N Assay/analysis Grab	Gold	73.00 g/t	select samples of a narrow siliceous section from a trench Assessment Report 15231
DRILLHOLE 1967	N Assay/analysis Drill Core	Copper Gold	0.10 % 0.32 g/t	a sample of percussion drill cuttings Property File - Mastodon Highland Bell Mines (1967-02-15): Report - Cariboo project 1966
SAMPLE 1967	N Assay/analysis Rock	Copper	0.84 %	a sample of mineralized tuff Property File - Mastodon Highland Bell Mines (1967-02-15): Report - Cariboo project 1966
SAMPLE 1966	N Assay/analysis Rock	Copper Gold	1.41 % 2.05 g/t	a sample of sulphide-rich chert Property File - J.R. Woodcock (1966-06-15): Monthly Report - May 1, to June 15, 1966